COLUMBIA

Page 27

Men's Book

Volume 118

Price 50c

JAMES LEES AND SONS
COMPANY
Bridgeport, Pa.

As seen on the cover
"V" neck cable Slipover
No. 1800—Fingering Yarn

Instructions on page 5

MARY LOUISE CUSTIS
Fashion Director

Accessories by B. Altman & Co.
Photography by Howell Conant

JAMES LEES AND SONS COMPANY
BRIDGEPORT, PENNSYLVANIA

NEW YORK OFFICE: 295 Fifth Avenue
New York 16, N. Y.

CHICAGO OFFICE: 222 N. Bank Drive
Chicago 54, Ill.

LOS ANGELES OFFICE: 714 S. Hill St.
Los Angeles 14, Calif.

another famous product • Lees carpets

Copyright 1950

Second Edition

Printed in U. S. A.

Rose Burke

men Men MEN

WE DOUBT all men are just as heaven made them, or even created equal (we quote).

WE BELIEVE your man, and ours, stands well above the common herd, is worth his weight in gold and, quite confidentially, that clothes DO help to make him.

COLUMBIA KNOWS fashions that a man likes to wear, and presents a collection of accessories he'll want you to knit, approved by a discriminating male jury.

WHAT TYPE is the man in your life?

- Man about town or country?
- A young enthusiast?
- Man of action?
- A wonderful stay-at-home?

GIVE YOUR FAVORITE a Columbia Hand Knit (from those heavenly yarns by Lees) and it will be "Orchids to You", from Him.



Scarf and Pull On Gloves No. 1801—Marcelaine
Instructions on page 6

MAN ABOUT TOWN OR COUNTRY

His impeccable taste selects "extra special" accessories that add zest to a wardrobe and give the Polished Look of the well groomed gentleman.

Spectator Sports Checked
Waistcoat No. 1802—Sports Yarn
Instructions on page 7



City-Life Scarf and Pull On Gloves No. 1804—Sports Yarn
Instructions on page 30

It's the Little Things that play important roles and prove that "clothes make the man".

Pattern Stitch Socks and Tie No. 1803—Marcelaine
Instructions on page 29

Diagonal Striped Tie No. 1806—Marcelaine
Instructions on page 32

Golf Club Hoods No. 1805—Featherweight Knitting Worsted
Instructions on page 31

Diamond Tie No. 1807—Marcelaine
Instructions on page 32

CABLE SLIPOVER

Number 1800

Sizes 36, 38, 40 and 42

Illustrated on cover

●

MATERIALS REQUIRED:

Columbia Fingering Yarn (1 ounce ball)

Size 36	Size 38	Size 40	Size 42
11 Balls	11 Balls	12 Balls	12 Balls

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch
1 "Boye" Double Point Needle Size 3—7 inch (for Cable)

Gauge: 8 Sts. to 1 inch (Size 3 Needles—Stockinette St.)

SIZES: 36 38 40 42

BACK: With Size 1 Needles cast on

150 Sts. 158 Sts. 166 Sts. 174 Sts.

Work in Ribbing of K.1, P.1, for 4 inches. Change to Size 3 Needles and work in Cable Pattern St. as follows:

Row 1—
K.12 K.14 K.16 K.18
*P.18, K.9 *P.18, K.10 *P.18, K.11 *P.18, K.12
repeat from * 3 times more, P. 18,
K.12 K.14 K.16 K.18

Row 2—
P.12 P.14 P.16 P.18
*K.18, P.9 *K.18, P.10 *K.18, P.11 *K.18, P.12
repeat from * 3 times more, K.18,
P.12 P.14 P.16 P.18

Repeat Rows 1 and 2 five times more (12 rows).

Row 13—
K.12 K.14 K.16 K.18
*P.7, K.1, slip 2, K.1, P.7,
K.9 K.10 K.11 K.12
repeat from * 3 times more, P.7, K.1, slip 2, K.1, P.7,
K.12 K.14 K.16 K.18

Row 14—
P.12 P.14 P.16 P.18
*K.7, P.4, K.7,
P.9 P.10 P.11 P.12
repeat from * 3 times more, K.7, P.4, K.7,
P.12 P.14 P.16 P.18

Row 15—
K.12 K.14 K.16 K.18
*P.6, K.2, slip 2, K.2, P.6,
K.9 K.10 K.11 K.12
repeat from * 3 times more, P.6, K.2, slip 2, K.2, P.6,
K.12 K.14 K.16 K.18

Row 16—
P.12 P.14 P.16 P.18
*K.6, P.6, K.6,
P.9 P.10 P.11 P.12
repeat from * 3 times more, K.6, P.6, K.6,
P.12 P.14 P.16 P.18

Row 17—
K.12 K.14 K.16 K.18
*P.5, K.3, slip 2, K.3, P.5,
K.9 K.10 K.11 K.12
repeat from * 3 times more, P.5, K.3, slip 2, K.3, P.5,
K.12 K.14 K.16 K.18

Row 18—
P.12 P.14 P.16 P.18
*K.5, P.8, K.5,
P.9 P.10 P.11 P.12
repeat from* 3 times more, K.5, P.8, K.5,
P.12 P.14 P.16 P.18

Row 19—
K.12 K.14 K.16 K.18
*P.4, K.4, slip 2, K.4, P.4,
K.9 K.10 K.11 K.12
repeat from * 3 times more, P.4, K.4, slip 2, K.4, P.4,
K.12 K.14 K.16 K.18

Row 20—
P.12 P.14 P.16 P.18
*K.4, P.10, K.4,
P.9 P.10 P.11 P.12
repeat from * 3 times more, K.4, P.10, K.4,
P.12 P.14 P.16 P.18

Repeat Rows 19 and 20.

Row 23—(Cable row)
K.12 K.14 K.16 K.18
*P.4, slip 2 Sts. on Double Point Needle and place in back of work, K. next 2 Sts., then K. the 2 Sts. from Double Point Needle, slip 2, slip next 2 Sts. on Double Point Needle and place in front of work, K.2, then K.2 Sts. from Double Point Needle, P.4,
K.9 K.10 K.11 K.12
repeat from * 3 times more, P.4, work Cable, P.4,
K.12 K.14 K.16 K.18

Row 24—Same as Row 20.
Row 25—Same as Row 19.
Row 26—Same as Row 20.
Row 27—Same as Row 19.
Row 28—Same as Row 20.

Repeat Cable Pattern from Row 23 five times more, ending last Cable with Row 26 (28 rows—6 Cables).

Row 57—Same as Row 17.
Row 58—Same as Row 18.
Row 59—Same as Row 15.
Row 60—Same as Row 16.
Row 61—Same as Row 13.
Row 62—Same as Row 14.

Repeat Pattern St. from Row 1.

When work measures 17 inches from start (or desired length to underarm),

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, decrease 1 St. each side every other row

4 times 6 times 8 times 10 times

Sts. on Needle:

126 Sts. 130 Sts. 134 Sts. 138 Sts.

Work even until armhole measures

8″ 8″ 8½″ 9″

(measured straight from bound-off Sts. at underarm).

(continued on page 6)

No. 1800 (continued from page 5)

To Shape Shoulders: Bind off 8 Sts. at beginning of each of the next

8 rows	10 rows	8 rows	8 rows

then bind off

6 Sts.	———	10 Sts.	12 Sts.

at beginning of next 2 rows (50 Sts. on Needle). Change to Size 1 Needles and work in Ribbing of K.1, P.1, for ¾ inch for Neckband. Bind off in Ribbing.

FRONT: Work same as Back until armhole measures 1½ inches.
To Shape V Neck: Work to center, slip remaining Sts. on St. Holder, then work Left Shoulder, decreasing 1 St. at neck edge, then every 3rd row 24 times more and when armhole measures same as at Back.
To Shape Shoulder: Bind off 8 Sts. at armhole edge every other row

4 times	5 times	4 times	4 times

then bind off last

6 Sts.	———	10 Sts.	12 Sts.

Work Right Shoulder to correspond.

Neckband: On right side of work with Size 1 Needles pick up and K.

128 Sts.	136 Sts.	136 Sts.	144 Sts.

around neck edge of Front.
Work in Ribbing of K.1, P.1, for ¾ inch, mitering at center by decreasing 2 Sts. every row (see Page 49). Bind off loosely.

SLEEVES: With Size 1 Needles cast on

70 Sts.	74 Sts.	76 Sts.	80 Sts.

Work in Ribbing of K.1, P.1, for 2¾ inches. Change to Size 3 Needles and Stockinette St. Increase 1 St. each side every 6th row

19 times	19 times	20 times	20 times

Sts. on Needle:

108 Sts.	112 Sts.	116 Sts.	120 Sts.

Work even until Sleeve measures

20″	21″	22″	22″

(or desired length to underarm).
To Shape Cap of Sleeve: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

19 times	21 times	23 times	25 times

then decrease 1 St. each side every row 10 times, bind off remaining Sts.

Sew shoulder seams, sew Sleeves in place, sew underarm and sleeve seams.

GLOVES AND SCARF

Number 1801

Size: Medium

Illustrated on page 2

●

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)
Gloves—2 Balls
Scarf—5 Balls

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 0—7 inch (Gloves)
1 Pair "Boye" Size 2—10 inch (Scarf)

Gauge: 10 Sts. to 1 inch (Size 0 Needles)
8 Sts. to 1 inch (Size 2 Needles)

PATTERN STITCH: (Multiple of 4 Sts.)
Row 1—*K.2, P.2, repeat from * across row.
Row 2—Same as Row 1.
Row 3—*P.2, K.2, repeat from * across row.
Row 4—Same as Row 3.
Repeat Pattern from Row 1.

GLOVES: With Double Point Needles cast on 76 Sts. (24 Sts. on each of 2 needles and 28 Sts. on Third Needle). Work in Ribbing of K.2, P.2, for 2 inches. Change to Pattern St. and work 4 rows even. Next row work to last 2 Sts. on Third Needle, place a marker on needle, increase in next St. and in last St. on needle. Work 2 rows even. Continue to increase 1 St. after marker and 1 St. in last St. on needle (K. increased Sts.) every third row until there are 22 Sts. increased. Place these 22 Sts. on St. Holder for thumb. Cast on 4 Sts. over these Sts. (80 Sts.) and work even for 2 inches.

First Finger: Take last 14 Sts. of Third Needle, first 8 Sts. of First Needle and place remaining Sts. on St. Holder. Cast on 2 Sts., join and K. around on these 24 Sts. for 3 inches. Next row K. every third and fourth St. together around row. K. 1 row even. Next row K. every second and third St. together around row. K. 1 row even. Next row K.2 together around row. Draw these Sts. together.
Second Finger: Take next 10 Sts., pick up 2 Sts. over the 2 cast-on Sts. of first finger, take up next 10 Sts., cast on 2 Sts. Join and K. around for 3¼ inches. Decrease and finish same as first finger.
Third Finger: Work same as second finger, working even for 3 inches.
Fourth Finger: Pick up remaining 18 Sts., pick up 2 Sts. over cast-on Sts. of third finger. Join and K. around for 2 inches, then decrease and finish same as other fingers.
Thumb: Pick up Sts. from St. Holder, pick up 4 Sts. over the 4 Sts. cast on for hand. Join and K. even for 2 inches. Next row K. every third and fourth St. together 6 times. Work 1 row even. Next row K. every second and third St. together 6 times. Work 1 row even. Next row K.2 together around row. Draw these Sts. together.
Work other Glove the same.

SCARF: With 10 inch needles cast on 72 Sts. Work in Pattern St. for 40 inches (or desired length). Bind off.

Fringe: Wind yarn over 3½ inch cardboard. Cut yarn at both ends. Double and knot 2 strands of fringe in every St. at each end.

CHECKED WAISTCOAT

Number 1802

Sizes 38, 40 and 42

Illustrated on page 3

●

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

	Size 38	Size 40	Size 42
Red Wine No. 8423 (Red)	2 Balls	3 Balls	3 Balls
Damascus No. 8429 (Gray)	1 Ball	1 Ball	1 Ball
White No. 8400 (White)	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.—Back)
9 Sts. to 1 inch (Pattern St.—Front)

SIZES: 38 40 42

BACK: With Size 1 Needles and Red cast on
152 Sts. 160 Sts. 168 Sts.

Work in Ribbing of K.1, P.1, for 4½ inches. Change to Size 3 Needles and Stockinette St.
When work measures
11″ 11″ 12″

from start (or desired length to underarm),
To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, 2 Sts. at beginning of next 4 rows, then decrease 1 St. each side every other row 11 times.
Sts. on Needle: 102 Sts. 110 Sts. 118 Sts.

Work even until armhole measures
9″ 9½″ 10″

(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off
8 Sts. 9 Sts. 10 Sts.

at beginning of each of the next 8 rows, bind off remaining Sts. for back of neck.

PATTERN STITCH: (Multiple of 4 Sts.)
*With Red cast on 2 Sts., with Gray cast on 2 Sts., repeat from * across.
Row 1—*Gray K.2, Red K.2, repeat from * across.
Row 2—P. back same Colors (always twist the 2 strands when changing Color by picking up the new Color from underneath the Color being dropped, carrying yarn loosely across back of work), join White.
Row 3—*White K.2, Gray K.2, repeat from * across.
Row 4—P. back same Colors.
Repeat the 4 rows for Pattern St.

Lower Pocket Facing: With Size 3 Needles and Red cast on 40 Sts. Work in Stockinette St. for 3 inches, slip Sts. on St. Holder.

Upper Pocket Facing: Cast on 36 Sts. and work 4 inches even, slip Sts. on St. Holder.

RIGHT FRONT: Wind 1 bobbin of each of the 3 Colors.
Starting at point, with Gray and Size 3 Needles cast on 2 Sts.
Row 1—K.2.
Row 2—P.2, cast on 1 St. (at front edge).
Row 3—Gray K.1, join White and K.2, Gray cast on 2 Sts., White cast on 2 Sts., Gray cast on 2 Sts. (6 Sts. cast on toward side edge).
Row 4—P. back same Colors, cast on 1 St. (always carry yarn loosely across back of work).
Row 5—Join Red and K.2, Gray K.2, Red K.2, Gray K.2, Red K.2, then with Gray cast on 2 Sts., Red cast on 2 Sts., Gray cast on 2 Sts.
Row 6—P. back same Colors, cast on 1 St. with Gray.
Row 7—White K.1, *Gray K.2, White K.2, repeat from * across, then with Gray cast on 2 Sts., White cast on 2 Sts., Gray cast on 2 Sts.
Row 8—P. back same Colors, White cast on 1 St.
Row 9—*Gray K.2, Red K.2, repeat from * across, then with Gray cast on 2 Sts., Red cast on 2 Sts., Gray cast on 2 Sts.
Row 10—P. back same Colors, with Gray cast on 1 St.
Row 11—Gray K.1, *White K.2, Gray K.2, repeat from * across, ending White K.2, then with Gray cast on 2 Sts., White cast on 2 Sts., Gray cast on 2 Sts.
Row 12—P. back same Colors, with Gray cast on 1 St.
Row 13—*Red K.2, Gray K.2, repeat from * across, ending Red K.2, then Gray cast on 2 Sts., Red cast on 2 Sts., Gray cast on 2 Sts.
Row 14—P. back same Colors, Gray cast on 1 St.
Work in this manner, continuing to cast on 6 Sts. at end of every K. row and 1 St. at end of every P. row (being careful to keep Pattern St. even) until there are
88 Sts. 94 Sts. 100 Sts.

on needle (increasing 1 St. at front edge 14 times and casting on 6 Sts. toward side edge
12 times 13 times 14 times

from start). With Red cast on 12 Sts. at front edge and work these 12 Sts. with Red to first decrease at neck edge (to be turned under later for Facing).
Work even at front edge, increasing 1 St. at side edge every inch 9 times and at the same time, when work measures 5 inches from start of point,
To Shape Pocket: K.34 Sts. from front edge, on next 40 Sts. work in Pattern St. for 8 rows, bind off the 40 Sts. Work across the 40 Sts. of Pocket Facing, continuing Pattern St. from the 34 Sts. at front edge, then work to end of row (to side edge). Continue in Pattern St. for 6 inches, then work second Pocket in same manner, 36 Sts. from front edge and 36 Sts. in Pocket.

When work measures same as Back to underarm,
Sts. on Needle: 109 Sts. 115 Sts. 121 Sts.

bind off 10 Sts. of Facing at front edge, continuing 2 Sts. only to Shoulder.
To Shape Armhole and Neck Edge: Bind off 14 Sts. at side edge, then 2 Sts. every other row 2 times, then decrease 1 St. every other row
15 times 17 times 19 times

and (starting at the same time as bound-off Sts. at underarm) decrease 1 St. at neck edge (by K. the 3rd and 4th St. together) every other row 30 times.
Sts. on Needle: 36 Sts. 40 Sts. 44 Sts.

(continued on page 29)



Norwegian Skier No. 1808—Knitting Worsted
Instructions on page 14

MAN OF ACTION

Champions of the great out-doors know the importance of ***right*** clothes for active sporting life, when success spells complete freedom of movement, with fashion casting its weather eye on "climatic control".



Swiss Ski Helmet No. 1809—Knitting Worsted
Instructions on page 16

Reversible Ski Mittens No. 1810—Knitting Worsted
Instructions on page 16



Argyle Sweater—Sleeveless No. 1811—Nylon Sweater and Sock Yarn
Instructions on page 16

ARGYLES FOR SPORTSMEN

Argyle Sweater No. 1812—Nylon Sweater and Sock Yarn
Instructions on page 16

. . . . and with sleeves

Ski Cardigan No. 1813—Knitting Worsted
Instructions on page 18

Wintery Helmet and Mittens No. 1814—Knitting Worsted
Instructions on page 34

Perennial Favorite No. 1815—Sports Yarn
Instructions on page 35

Turtle Neck Slipover No. 1816—Afghan Germantown
Instructions on page 36

NORWEGIAN SKI SWEATER

Number 1808

Sizes 40, 42, 44 and 46

Illustrated on page 8

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (4 ounce skein)

	Size 40	Size 42	Size 44	Size 46
Seal Brown No. 6030	6 Skeins	6 Skeins	7 Skeins	7 Skeins
White No. 500	1 Skein	1 Skein	1 Skein	1 Skein

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 5—14 inch

Gauge: 5½ Sts. to 1 inch (Size 5 Needles)
7 rows to 1 inch

SIZES:	**40**	**42**	**44**	**46**

FRONT: With Size 3 Needles and Seal Brown cast on

100 Sts. 100 Sts. 110 Sts. 110 Sts.

Work in Ribbing of K.1, P.1, for

3½" 3½" 4" 4"

increasing

11 Sts. 17 Sts. 13 Sts. 19 Sts.

across last row.
Sts. on Needle:

111 Sts. 117 Sts. 123 Sts. 129 Sts.

Change to Size 5 Needles and Stockinette St.
Work 4 rows, then work from Chart No. 1 (below) as follows:

Row 5—Seal Brown

K.13 K.16 K.19 K.22

join * White K.1, Seal Brown K.21 (carry White strand loosely across back of work, catching it about every 4th St. by inserting right hand needle in St., place White strand over the needle, then K. with Brown being careful to keep White in back), repeat from * across, ending Seal Brown

K.9 K.12 K.15 K.18

Row 6—Seal Brown

P.5 P.8 P.11 P.14

*White P.3, Brown P.1, White P.1, Brown P.1, White P.3, Brown P.13, repeat from * across, ending Brown

P.9 P.12 P.15 P.18

Continue to work in this manner until design is completed, then break White strand, with Seal Brown work even until work measures

16½" 16½" 17" 17½"

from start (or desired length to underarm), ending with P. row.

To Shape Armholes: Bind off 10 Sts. at side edge, join White and start design from Chart No. 2 (see Page 15) in

19th St. 22nd St. 25th St. 28th St.

Bind off 10 Sts. at beginning of next row, then decrease 1 St. each side every other row 3 times. When design is completed, break White strand and continue with Seal Brown until armhole measures 7 inches (measured straight from bound-off Sts. at underarm).

To Shape Neck:

K.56 K.59 K.62 K.65

slip these Sts. on St. Holder, on remaining

29 Sts. 32 Sts. 35 Sts. 38 Sts.

work Right Shoulder as follows: Decrease 1 St. at neck edge every other row 5 times.

(continued on page 15)



No. 1808 (continued from page 14)



When armhole measures

8½" 9" 9" 9½"

To Shape Shoulder: Bind off

8 Sts. 9 Sts. 10 Sts. 11 Sts.

at armhole edge every other row 3 times.

Leaving 27 Sts. at center on St. Holder, work Left Shoulder to correspond.

Neckband: With Size 3 Needles pick up and K.

48 Sts. 52 Sts. 52 Sts. 56 Sts.

across neck edge (including Sts. on St. Holder). Work in Ribbing of K.1, P.1, for 1¼ inches. Bind off loosely in Ribbing.

BACK: Work same as Front until armhole measures same as at Front (working design from Chart No. 1 only and omitting neck opening).

Sts. on Needle:

85 Sts. 91 Sts. 97 Sts. 103 Sts.

To Shape Shoulders: Bind off

8 Sts. 9 Sts. 10 Sts. 11 Sts.

at beginning of each of the next 6 rows. Change to Size 3 Needles and work remaining Sts. in Ribbing of K.1, P.1, as for Neckband on Front.

RIGHT SLEEVE: With Size 3 Needles cast on

48 Sts. 50 Sts. 52 Sts. 54 Sts.

Work in Ribbing of K.1, P.1, for

3" 3" 3½" 4"

increasing

12 Sts. 14 Sts. 12 Sts. 14 Sts.

across last row.

Sts. on Needle:

60 Sts. 64 Sts. 64 Sts. 68 Sts.

Change to Size 5 Needles and work in Stockinette St., increasing 1 St. each side every 10th row twelve times.

Sts. on Needle:

84 Sts. 88 Sts. 88 Sts. 92 Sts.

Work even until Sleeve measures

21" 21½" 22" 22"

(or desired length).

To Shape Cap of Sleeve: Bind off 10 Sts. at beginning of each of the next 2 rows. Start design from Chart No. 3 (below) on next row as follows: K.2 together,

K.19 K.21 K.21 K.23

join White K.5, Brown K.2, White K.6, Brown K.3, White K.13, Brown

K.12 K.14 K.14 K.16

K.2 together.

Follow Chart for design and decrease 1 St. each side every other row

9 times 11 times 11 times 12 times

more, then bind off 2 Sts. at beginning of each row 12 times, bind off remaining

20 Sts. 20 Sts. 20 Sts. 22 Sts.

Work Left Sleeve the same, but reverse Chart No. 3, starting Row 1 of Chart as follows: K.2 together,

K.12 K.14 K.14 K.16

join White K.13, Brown K.3, White K.6, Brown K.2, White K.5, Brown

K.19 K.21 K.21 K.23

K.2 together (Dog on each Sleeve facing Front).

Sew shoulder seams. Sew Sleeves in place, sew underarm and sleeve seams.



SWISS SKI HELMET AND MITTENS

Ski Helmet Number 1809

Ski Mittens Number 1810

Size: Medium

Illustrated on page 9

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (4 ounce skein)

2 Skeins

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 3—7 inch (Helmet)
1 Set of "Boye" Double Point Needles Size 4—7 inch (Mittens)

Gauge: 8 Sts. to 1 inch (Helmet)
7 Sts. to 1 inch (Mittens)

1 "Boye" Steel Crochet Hook Size 0

PATTERN STITCH: (Multiple of 2 Sts.)
Row 1—*K.1, with yarn in back slip 1, repeat from * around.
Row 2—K. (K. when working around or P. when working back and forth.)
Repeat these 2 rows for Pattern.

HELMET: Starting at top edge, with Size 3 Needles cast on 160 Sts. (52 Sts. on First Needle, 56 Sts. on Second Needle and 52 Sts. on Third Needle), join, being careful not to twist Sts. Work in Pattern St. for 3 inches, ending with Row 2 of Pattern St.
To Shape Lower Edge: Bind off 30 Sts. (front), work to end of row, turn. Work back and forth (P. Row 2), binding off 7 Sts. loosely at beginning of each of the next 14 rows. Bind off remaining 32 Sts.

Work 1 row of S.C. around top and lower edge to fit head size, then work 1 slip St. in each S.C.

CROSSBANDS: (Make 2) With Size 3 Needles cast on 9 Sts., work back and forth in Pattern St. (P. Row 2) for 9 inches. Bind off. Slip St. across each side of Band.

Sew Crossbands to inside of top edge as illustrated.

MITTENS: (Reversible) With Size 4 Needles, starting at Cuff, cast on 48 Sts. (16 Sts. on each of 3 needles). Join, being careful not to twist Sts. Work in Ribbing of K.2, P.2, for 3½ inches, increasing 2 Sts. on each needle on last row (54 Sts.). Work in Pattern St. for 6 rows, then start increases for thumb as follows:
Row 1—Increase 1 St. in first St., slip 1, increase 1 St. in next St., work to end of row.
Row 2—K.
Row 3—K.2, slip 1, K.2, slip 1, *K.1, slip 1, repeat from * around.
Row 4—Increase 1 St. in first St., K.3, increase 1 St. in next St., K. to end of row.
Row 5—K.1, slip 1 (Pattern St.).
Row 6—K.
Row 7—Increase 1 St. in first St., slip 1, K.1, slip 1, K.1, slip 1, increase 1 St. in next St., work to end of row.

Continue to increase 2 Sts. for thumb every 3rd row in this manner 4 times more (having 2 Sts. more between increases after each increasing row), being careful to keep Pattern St. even. Work 3 rows after last increase. Slip 17 thumb Sts. on a strand of yarn, cast on 3 Sts. over thumb (54 Sts.). Work even for 4¼ inches (or desired length, allowing 1 inch to finish), ending with Pattern row, then decrease 9 Sts. as follows:
Row 1—*K.4, K.2 together, repeat from * around.
Work 2 rows even.
Row 4—*Work 3 Sts. in Pattern St., K.2 together, repeat from * around. Work 2 rows even.
Row 7—*K.2, K.2 together, repeat from * around. Work 2 rows even.
Row 10—*K.1, K.2 together, repeat from * around. Work 1 row even.
K.2 together around, break yarn, draw strand through remaining Sts. and fasten.

Thumb: Slip the 17 Sts. on 3 needles, pick up 3 Sts. in gusset. Work even for 2¼ inches (or desired length, allowing ¾ inch to finish). Next row decrease 3 Sts. by *K.4, K.2 together, repeat from * 2 times more, K.2.
K. 1 row.
Next row *K.3, K.2 together, repeat from * around, K.2 (14 Sts.).
K. 1 row, then K.2 together around.
Break yarn, draw through remaining Sts. and fasten.

ARGYLE SLIPOVERS

Number 1811

Sleeveless: Sizes 38 and 40

Number 1812

With Sleeves: Sizes 38 and 40

Illustrated on pages 10 and 11

●

MATERIALS REQUIRED:

Columbia Nylon Sweater and Sock Yarn (1 ounce ball)
(Dupont Permanent "Crimp-Set")

SLEEVELESS:	**Size 38**	**Size 40**
M—Slipover Color	4 Balls	5 Balls
X—Diamond Color	1 Ball	1 Ball
V—Crossline Color	1 Ball	1 Ball
Z—Diamond Color } S—Crossline Color }	1 Ball	1 Ball

WITH SLEEVES:	**Size 38**	**Size 40**
M—Slipover Color	7 Balls	8 Balls
X—Diamond Color	1 Ball	1 Ball
V—Crossline Color	1 Ball	1 Ball
Z—Diamond Color } S—Crossline Color }	1 Ball	1 Ball

Knitting Needles: 1 Pair "Boye" Size 2—14 inch
1 Pair "Boye" Size 1—14 inch

Gauge: 8 Sts. to 1 inch (Size 2 Needles—Stockinette St.)
11 Rows to 1 inch

1 "Boye" Blunt End Tapestry Needle for Duplicate St.

(continued on page 17)

Nos. 1811 and 1812 (continued from page 16)

	SLEEVELESS		WITH SLEEVES	
SIZES:	**38**	**40**	**38**	**40**

BACK: With Size 1 Needles and Slipover Color cast on
154 Sts. 160 Sts. 154 Sts. 160 Sts.
Work in Ribbing of K.1, P.1, for 3 inches. Change to Size 2 Needles and Stockinette St. and work even until work measures
14½" 14½" 15" 15"

To Shape Armholes: Bind off
12 Sts. 12 Sts. 10 Sts. 10 Sts.
at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
12 times 12 times 8 times 8 times
Sts. on Needle:
106 Sts. 112 Sts. 118 Sts. 124 Sts.
Work even until armhole measures
8½" 9" 8" 8½"

To Shape Shoulders: Bind off
11 Sts. 12 Sts. 13 Sts. 14 Sts.
at beginning of each of the next 6 rows, change to Size 1 Needles and work remaining Sts. in Ribbing of K.1, P.1, for ¾ inch for Neckband.

The Front is worked in Stockinette St. from
Chart No.1 Chart No.2 Chart No.1 Chart No.2
(5 diamonds across row).
Wind 3 bobbins of Color X, 2 bobbins of Color Z and 6 bobbins of Slipover Color to start Pattern. The Crosslines are worked in Duplicate St. after the Front is completed (Duplicate St. see Page 40), working 1 Duplicate St. over 2 rows.

FRONT: With Size 1 Needles and Slipover Color cast on
150 Sts. 160 Sts. 150 Sts. 160 Sts.
Work Ribbing same as for Back. Change to Size 2 Needles and work from
Chart No.1 Chart No.2 Chart No.1 Chart No.2
until Front measures same as Back to underarm.

Shape Armholes same as at Back and when work measures 16¾ inches from start (measured at center),
To Shape V Neck: Work to center of Front, bind off 2 center Sts., slip Sts. of left side onto St. Holder, then work Right Shoulder. Decrease 1 St. at neck edge every 4th row
17 times 19 times 17 times 19 times
Sts. on Needle:
33 Sts. 36 Sts. 39 Sts. 42 Sts.
When armhole measures same as at Back,
To Shape Shoulder: Bind off
11 Sts. 12 Sts. 13 Sts. 14 Sts.
at armhole edge every other row 3 times. Work Left Shoulder to correspond.

Neckband: With Size 1 Needles and Slipover Color, on right side of work pick up and K.
152 Sts. 160 Sts. 152 Sts. 160 Sts.
at neck edge of Front. Work in Ribbing of K.1, P.1, for ¾ inch, mitering at center (see Page 49). Bind off in Ribbing.

Sew shoulder seams.

(continued on page 18)

CHART NO. I—SIZE 38



CHART NO. II—SIZE 40



Nos. 1811 and 1812 (continued from page 17)

Armhole Borders for Sleeveless Slipover: With Size 1 Needles, on right side of work, pick up and K.

188 Sts. 196 Sts.

around armhole. Work in Ribbing of K.1, P.1, for ¾ inch. Bind off in Ribbing. Sew underarm seams.

SLEEVES: With Size 1 Needles and Slipover Color cast on

62 Sts. 66 Sts.

Work in Ribbing of K.1, P.1, for 3 inches. Change to Size 2 Needles and work in Stockinette St. Increase 1 St. each side every ½ inch

22 times 23 times

then every inch 6 times.

Sts. on Needle: 118 Sts. 124 Sts.

When Sleeve measures

20½″ 21″

or desired length,

To Shape Cap of Sleeve: Bind off 10 Sts. at beginning of next 2 rows, then decrease 1 St. each side every row 30 times, then bind off 2 Sts. at beginning of each row 8 times, bind off remaining

22 Sts. 28 Sts.

Sew Sleeves in place, sew underarm and sleeve seams.

SKI CARDIGAN

Number 1813

Sizes 40, 42 and 44

Illustrated on page 12

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (4 ounce skein)

	Size 40	**Size 42**	**Size 44**
Light Color	1 Skein	1 Skein	1 Skein
Dark Color	5 Skeins	6 Skeins	6 Skeins

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 5—14 inch
1 "Boye" Double Point Needle Size 5—7 inch (for Cable)

Gauge: 5½ Sts. to 1 inch (Size 5 Needles)
7 rows to 1 inch

CABLE PANEL:

Row 1—(Right side) P.2, K.6, P.2.
Row 2—K.2, P.6, K.2.
Repeat Rows 1 and 2 once.
Row 5—P.2, slip next 3 Sts. on Double Point Needle and hold in back of work, K. next 3 Sts., then K. the 3 Sts. from Double Point Needle, P.2.
Row 6—Same as Row 2.
Repeat Rows 1 and 2 three times.
Repeat Pattern from Row 5.

SIZES: 40 42 44

RIGHT FRONT: With Dark Color and Size 3 Needles cast on

48 Sts. 50 Sts. 54 Sts.

Work Moss St. Front Border and Ribbing as follows:
Row 1—*P.1, K.1, repeat from * across.
Row 2—*P.1, K.1, repeat from * to last 4 Sts., P.2, K.1, P.1.
Repeat these 2 rows until work measures 3¾ inches, increasing

13 Sts. 14 Sts. 13 Sts.

evenly across last row.
Sts. on Needle:

61 Sts. 64 Sts. 67 Sts.

Change to Size 5 Needles and continuing Moss St. Border, work as follows:
Row 1—(Right side) Moss St. 3 Sts.,

K.4 K.5 K.6

P.2, K.6, P.2 (Cable Panel), K.21 (Pattern Panel), P.2, K.6, P.2 (Cable Panel),

K.13 K.15 K.17

Row 2— P.13 P.15 P.17
K.2, P.6, K.2 (Cable Panel), P.21, K.2, P.6, K.2 (Cable Panel),

P.4 P.5 P.6

Moss St. 3 Sts.

Row 3—Moss St. 3 Sts.,

K.4 K.5 K.6

work Cable Panel, tie in ball of Light Color and work Pattern from Chart (see Page 34) on next 21 Sts. (twisting strands when changing color by picking up the new color from underneath the color being dropped), work Cable Panel,

K.13 K.15 K.17

Row 4— P.13 P.15 P.17
work Cable Panel, work Pattern on next 21 Sts., work Cable Panel,

P.4 P.5 P.6

Moss St. 3 Sts.

Continue in this manner, twisting Cables every 8th row and repeating the 48 rows of Pattern from Chart.

When work measures

16″ 16″ 16½″

(or desired length) to underarm,
To Shape Armhole: Bind off

7 Sts. 9 Sts. 11 Sts.

at side edge, then decrease 1 St. every other row 5 times.

When front edge measures

22″ 22″ 22½″

To Shape Neck: Bind off

9 Sts. 10 Sts. 11 Sts.

at front edge, then 2 Sts. every other row 5 times.

When armhole measures

8″ 8½″ 9″

(measured straight from bound-off Sts. at underarm),
To Shape Shoulder: Bind off 10 Sts. at armhole edge every other row 3 times.

LEFT FRONT: Work to correspond with Right Front (having Borders and decreases at opposite sides).

(continued on page 33)

Campus Favorite No. 1817—Sports Yarn
Instructions on page 22

A YOUNG ENTHUSIAST

is "only a boy grown tall whose heart hasn't changed very much after all" and this he-man's favorite girl is a winner whose needles click right into his fancy.



Collegiate Slipover No. 1818—Sports Yarn
Instructions on page 23

Young Sport Plaid Muffler No. 1819—Fingering Yarn
Instructions on page 36



Knitted Four-in-hand Tie No. 1820—Marcelaine
Instructions on page 37

"T" Shirt Convertible No. 1821—Sports Yarn
Instructions on page 37

Knitted Shirts and Sweaters for care-free jacketless days are favorites with the young crowd "in the know".

Bermuda Basque Shirt No. 1822—Sports Yarn
Instructions on page 38

CAMPUS FAVORITE

Number 1817

Sizes 36, 38 and 40

Illustrated on page 19

●

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

Size 36	**Size 38**	**Size 40**
4 Balls	4 Balls	5 Balls

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 2—14 inch

Gauge: 9 Sts. to 1 inch (Pattern St.)
14 rows to 1 inch

SIZES:	**36**	**38**	**40**

BACK: With Size 1 Needles cast on

162 Sts.	170 Sts.	178 Sts.

Work in Ribbing of K.2, P.2, as follows:
Row 1—*K.2, P.2, repeat from * across, ending K.2.
Row 2—*P.2, K.2, repeat from * across, ending P.2.
Repeat these 2 rows until work measures 3½ inches from start

———	decreasing 1 St. on last row.	———

Change to Size 2 Needles and work in Pattern St. as follows:

Row 1—	K.8	K.8	K.9
*slip 2, P.2, slip 2 (always keep yarn in back when slipping Sts.),	P.14	P.15	P.16
slip 2, P.2, slip 2,	K.14	K.15	K.16
repeat from * 2 times, slip 2, P.2, slip 2,	P.14	P.15	P.16
slip 2, P.2, slip 2,	K.8	K.8	K.9
Row 2—	P.10	P.10	P.11
*K.2, P.2,	K.14	K.15	K.16
P.2, K.2,	P.18	P.19	P.20
repeat from * 2 times, K.2, P.2,	K.14	K.15	K.16
P.2, K.2,	P.10	P.10	P.11

Repeat Rows 1 and 2 one time.

Row 5—	P.8	P.8	P.9
*slip 2, P.2, slip 2,	K.14	K.15	K.16
slip 2, P.2, slip 2,	P.14	P.15	P.16
repeat from * 2 times, slip 2, P.2, slip 2,	K.14	K.15	K.16
slip 2, P.2, slip 2,	P.8	P.8	P.9
Row 6—	K.8	K.8	K.9
*P.2, K.2,	P.18	P.19	P.20
K.2, P.2,	K.14	K.15	K.16
repeat from * 2 times, P.2, K.2,	P.18	P.19	P.20
K.2, P.2,	K.8	K.8	K.9

Repeat Rows 5 and 6 one time.

Repeat these 8 rows for Pattern.

When work measures

14″	14″	14½″

(or desired length) to underarm,
To Shape Armholes: Bind off

14 Sts.	14 Sts.	16 Sts.

at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

13 times	14 times	14 times

Sts. on Needle:

108 Sts.	113 Sts.	118 Sts.

When armhole measures

8½″	8½″	9″

(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off

11 Sts.	11 Sts.	12 Sts.

at beginning of each of the next 6 rows.

Change to Size 1 Needles and on remaining Sts. work in Ribbing of K.2, P.2,

———	decreasing 1 St. on first row	———

for ¾ inch, bind off loosely in Ribbing.

FRONT: Work same as Back until there are

116 Sts.	123 Sts.	128 Sts.

on needle (after 9th decrease at armhole). On 10th decreasing row divide Sts. for V neck as follows: Decrease 1 St., work across next

55 Sts.	58 Sts.	61 Sts.

bind off center

2 Sts.	3 Sts.	2 Sts.

slip these

56 Sts.	59 Sts.	62 Sts.

on St. Holder, on remaining Sts. work Right Shoulder as follows: Continuing decreases at armhole to correspond with Back, decrease 1 St. at neck edge every 6th row 3 times, then every 4th row

17 times	19 times	19 times

Sts. on Needle:

33 Sts.	33 Sts.	36 Sts.

When armhole measures same as at Back,
To Shape Shoulder: Bind off

11 Sts.	11 Sts.	12 Sts.

at armhole edge every other row 3 times.
Work Left Shoulder to correspond.

Neckband: On right side of work with Size 1 Needles, pick up and K.

174 Sts.	174 Sts.	182 Sts.

around front neck edge. Work in Ribbing of K.2, P.2, for ¾ inch, mitering at center (see Page 49). Bind off loosely in Ribbing.

(continued on page 23)

No. 1817 (continued from page 22)

Sew shoulder seams.

Armhole Bands: With Size 1 Needles pick up and K.
192 Sts. 192 Sts. 200 Sts.

around armhole edge. Work in Ribbing of K.2, P.2, for ¾ inch, bind off in Ribbing.

Sew underarm seams.

COLLEGIATE SLIPOVER

Number 1818

Sizes 36, 38, 40, 42 and 44

Illustrated on page 20

●

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

Size 36	Size 38	Size 40	Size 42	Size 44
4 Balls	4 Balls	5 Balls	5 Balls	5 Balls

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch
1 "Boye" Double Point Needle Size 3—7 inch (for Cable)

Gauge: 8 Sts. to 1 inch (Stockinette St.)
10 Sts. to 1 inch (Pattern St.)

SIZES: 36 38 40 42 44

BACK: With Size 1 Needles cast on
154 Sts. 162 Sts. 170 Sts. 178 Sts. 186 Sts.

Work in Ribbing as follows:
Row 1—K.2, *P.2, K.2, repeat from * across.
Row 2—P.2, *K.2, P.2, repeat from * across.
Repeat the 2 rows for 3 inches.
Change to Size 3 Needles and work in Pattern St. as follows:
Row 1—
K.25 K.27 K.29 K.31 K.33
*yarn forward, slip 2, yarn back, K.2**, repeat from * once, yarn forward, slip 2, P.2, K.8, P.2, repeat between *—**two times, yarn forward, slip 2,
K.40 K.44 K.48 K.52 K.56
repeat Pattern from * on next 32 Sts., then
K.25 K.27 K.29 K.31 K.33
to end of row.

Row 2—
P.35 P.37 P.39 P.41 P.43
K.2, P.8, K.2,
P.60 P.64 P.68 P.72 P.76
K.2, P.8, K.2,
P.35 P.37 P.39 P.41 P.43

Repeat Rows 1 and 2 four times more.

Row 11—(Cable Row) Work same as Row 1 for
37 Sts. 39 Sts. 41 Sts. 43 Sts. 45 Sts.
slip next 4 Sts. on Double Point Needle and place in back, K.4, then K. the 4 Sts. from Double Point Needle (Cable), work across
64 Sts. 68 Sts. 72 Sts. 76 Sts. 80 Sts.
twist Cable as before, work to end of row.

Row 12—Same as Row 2.

Repeat Rows 1 and 2 five times.

Row 23—(Cable Row) Work same as Row 11 to the Cable, slip 4 Sts. on Double Point Needle and place in front, K.4, then K. the 4 Sts. from Double Point Needle, work across, twisting second Cable the same.

Row 24—Same as Row 2.

Repeat the 24 rows for Pattern.

When work measures
14″ 14″ 14½″ 15″ 15″
(or desired length) to underarm from start,
To Shape Armholes: Bind off 14 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
10 times 11 times 12 times 13 times 15 times

Sts. on Needle:
106 Sts. 112 Sts. 118 Sts. 124 Sts. 128 Sts.

Continue in Pattern St. and when armhole measures 9 inches (measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off
11 Sts. 12 Sts. 13 Sts. 14 Sts. 14 Sts.
at beginning of each of the next 6 rows. Change to Size 1 Needles and work remaining Sts. in Ribbing of K.2, P.2, for ¾ inch for Neckband. Bind off in Ribbing.

FRONT: Work same as Back until armhole measures 2 inches (measured straight).
To Shape V Neck: Work to center, slip Sts. on St. Holder, then work Right Shoulder as follows: Decrease 1 St. at neck edge, then every 4th row
19 times 19 times 19 times 19 times 21 times
more.

When armhole measures same as at Back,
To Shape Shoulder: Bind off
11 Sts. 12 Sts. 13 Sts. 14 Sts. 14 Sts.
at armhole edge every other row 3 times
Work Left Shoulder to correspond.

Neckband: On right side of work with Size 1 Needles, pick up and K.168 Sts. at V neck of Front. Work in Ribbing of K.2, P.2, for ¾ inch, mitering at center (mitering see Page 49). Bind off in Ribbing.

Sew shoulder seams.

Armhole Borders: On right side of work with Size 1 Needles, pick up and K.200 Sts. at armhole edge. Work in Ribbing of K.2, P.2, for ¾ inch, bind off in Ribbing.

Sew underarm seams.

No. 1823—Nylon Sweater and Sock Yarn
Instructions on page 39



No. 1824—Nylon Sweater and Sock Yarn
Instructions on page 40

No. 1825—Nylon Sweater and Sock Yarn
Instructions on page 41

SHORT CUTS TO SUCCESS

A little knitting goes a long way towards making ***any*** man a lot happier. If his sock choice is wool, select from many varieties . . . if he's of the new school, knit in nylon for "almost a lifetime of wear".

No. 1826—Sock Yarn Instructions on page 41

No. 1827—Fingering Yarn Instructions on page 42

No. 1828—Knitting Worsted Instructions on page 42

No. 1829—Sports Yarn Instructions on page 43

Cable Hobby Sweater No. 1830—Featherweight Knitting Worsted Instructions on page 43



A Wonderful Stay at Home

Stay-at-Home Waistcoat No. 1831—Knitting Worsted
Instructions on page 44



Father and Son Slipovers Nos. 1832 and 1832A—Afghan Germantown
Instructions on page 45

Your ideal man, who keeps the home fires burning, craves leisure fashions designed for relaxation and comfort, to wear within his own four walls; his "kingdom-for-a-day".



Comfortable Classic No. 1833—Heather Sports Yarn
Instructions on page 46



Classic Sleeveless Slipover No. 1834—Heather Sports Yarn
Instructions on page 47

TO EACH HIS OWN

and yours will love a
favorite classic . . . .



Cardigan Jacket No. 1835—Heather Knitting Worsted
Instructions on page 48

No. 1802 (continued from page 7)

When armhole measures same as at Back,

To Shape Shoulder: Bind off
9 Sts. 10 Sts. 11 Sts.

at armhole edge every other row 4 times.

Place markers for 5 Buttons at straight edge of Front.

Work 2 Pocket Facings same as for Right Front.

LEFT FRONT: With Size 3 Needles and Gray cast on 2 Sts.
Row 1—K.2 Sts.

Row 2—P.2 Sts., cast on 2 Sts. with Gray, 2 Sts. with White, 2 Sts. with Gray (6 Sts. cast on toward side edge).

Row 3—Gray K.2, White K.2, Gray K.2, White K.2, with Gray cast on 1 St. (front edge).

Row 4—P. back same Colors, cast on 2 Sts. with Gray, 2 Sts. with Red, 2 Sts. with Gray.

Row 5—Gray K.2, *Red K.2, Gray K.2, repeat from * 2 times more, Red K.1, cast on 1 St. with Red.

Row 6—P. back same Colors.

Continue in this manner. Increase, decrease and work Pockets to correspond with Right Front.

Wind 1 extra bobbin with Red for Facing, work first set of Buttonholes (to correspond with first marker) as follows:

On wrong side of work, P.4, bind off 4 Sts., P.8, bind off 4 Sts., work to end of row. On next row cast on 4 Sts. over the bound-off Sts. Work 4 more sets of Buttonholes to correspond with markers on Right Front.

Sew shoulder seams, sew underarm seams. Face armhole edge, back of neck and lower edge of Fronts with bias tape. Turn back 12 Red Sts. of Facing at front edge and 2 Sts. at neck edge and sew. Sew around Buttonholes. Sew Pocket Facings in place. Turn down edge of pocket openings and sew hems, being careful to match Pattern St. on Fronts.

PATTERN STITCH SOCKS AND TIE

Number 1803

SOCKS

Size 11½ (or desired length)

Illustrated on page 3

●

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)
4 Balls

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 1 —7 inch

Gauge: 9 Sts. to 1 inch

PATTERN STITCH: (Multiple of 24 Sts.)

Row 1—*K.11, P.1, repeat from * around.

Row 2—P.1, *K.9, P.3, repeat from * 4 times more, ending K.9, P.2.

Row 3—P.2, *K.7, P.5, repeat from * 4 times more, ending K.7, P.3.

Row 4—P.3, *K.5, P.7, repeat from * 4 times more, ending K.5, P.4.

Row 5—P.4, *K.3, P.9, repeat from * 4 times more, ending K.3, P.5.

Row 6—P.5, *K.1, P.11, repeat from * 4 times more, ending K.1, P.6.

Row 7—Same as Row 5.

Row 8—Same as Row 4.

Row 9—Same as Row 3.

Row 10—Same as Row 2.

Repeat the 10 rows for Pattern St.

Cast on 72 Sts. (24 Sts. on each of 3 needles), join, being careful not to twist Sts. Work in Ribbing of K.1, P.1, for 3 inches, then work in Pattern St. for 6½ inches (9½ inches from start or desired length), ending with Row 10 of Pattern St.

HEEL: Divide Sts. for heel as follows: Work Row 1 of Pattern St. across 36 Sts., slip these Sts. on 2 needles for instep, on remaining 36 Sts. work heel as follows:

Row 1—*Slip 1, K.1, repeat from * across.

Row 2—Slip 1, then P. across row.

Repeat last 2 rows 17 times more (36 rows).

TO TURN HEEL:

Row 1—K.23, slip 1, K.1, P.S.S.O., turn.

Row 2—Slip 1, P.10, P.2 together, turn.

Row 3—Slip 1, K.10, slip 1, K.1, P.S.S.O., turn.

Repeat Rows 2 and 3 until all Sts. are worked off each side (12 Sts. on needle), ending on P. row, turn.

K.6 Sts. to center of heel. Slip the 36 Sts. of instep on 1 needle, then work around as follows:

First Needle: K.6 heel Sts., pick up and K. 18 Sts. at side of heel; Second Needle: Continue Pattern St. across instep; Third Needle: Pick up and K. 18 Sts. at other side of heel, K.6 to center of heel (84 Sts. on needles).

Next row—K. to last 3 Sts. on First Needle, slip 1, K.1, P.S.S.O., K.1; work across Second Needle; Third Needle: K.1, K.2 together, K. to end of needle.

Work 1 row even.

Repeat last 2 rows 5 times more (72 Sts. on needles).

Work even until foot measures 9½ inches from back of heel (or desired length, allowing 2 inches to finish toe).

TO SHAPE TOE: K. to last 3 Sts. on First Needle, slip 1, K.1, P.S.S.O., K.1; Second Needle: K.1, K.2 together, K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; Third Needle: K.1, K.2 together, K. to end of needle (decreasing 4 Sts.).

K. 1 row even.

Repeat last 2 rows until 24 Sts. remain. Knit 6 Sts. from First Needle onto Third Needle and weave Sts. together (weaving see Page 49).

(continued on page 30)

No. 1803 (continued from page 29)

TIE

Length: 52 inches

Illustrated on page 3

●

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)
3 Balls

Knitting Needles: 1 Pair "Boye" Single Point Aluminum Size 0—7 inch

Gauge: 10 Sts. to 1 inch

Pattern St. is same as on Socks, working from Chart (below) for point at start as follows: Cast on 1 St.

Row 1—Increase 1 St. by Y.O. needle, then K. in front and back of St. (3 Sts. on needle).

Row 2—(Right side of work) Y.O., P.2, increase 1 St. in last St. (5 Sts.).

Row 3—Y.O., K.4, increase 1 St. in last St. (7 Sts.).

Row 4—Y.O., P.6, increase 1 St. in last St. (9 Sts.).

Row 5—Y.O., K.8, increase 1 St. in last St. (11 Sts.).

Row 6—Y.O., K.1, P.9, K.2 Sts. in last St. (13 Sts.).

Row 7—Y.O., P.3, K.7, P.2, P.2 Sts. in last St. (15 Sts.).

Row 8—Y.O., K.5, P.5, K.4, K.2 Sts. in last St. (17 Sts.).

Continue to increase 2 Sts. in each row, working from Chart, until there are 75 Sts. on needle. When work measures 3 inches from start, decrease 1 St. each side, then every ½ inch 18 times more, then every inch 8 times (21 Sts. on needle). Work even until Tie measures 33 inches from start, then increase 1 St. each side, then every 1½ inches 10 times more. When work measures 48 inches from start, decrease 1 St. at beginning of each row until all Sts. are worked off.

Fold Tie and sew seam at center. Face neckband with ribbon.

CHART FOR TIE NO. 1803
(showing right side of Pattern)



SCARF AND GLOVES

Number 1804

Illustrated on page 3

SCARF

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)
2 Balls

Knitting Needles: 1 Pair "Boye" Size 2—10 inch

Gauge: 9 Sts. to 1 inch (Ribbing Pattern St.)

Cast on 91 Sts. Work in Garter St. for 12 rows. Continuing 7 Sts. in Garter St. each side for length of Scarf (for Borders), work remaining Sts. in Ribbing Pattern St. as follows:

Row 1—*K.1, P.1, repeat from * across, ending K.1.

Row 2—*P.1, K.1, repeat from * across, ending P.1.
Repeat Rows 1 and 2 three times more.

Row 9—*P.1, K.1, repeat from * across, ending P.1.

Row 10—*K.1, P.1, repeat from * across, ending K.1.
Repeat Rows 9 and 10 three times more.
Repeat Rows 1 to 8 once more.
K.2 rows (Garter St.).
Work Basket Weave St. inside of Borders as follows:

Row 1—*P.1, K.1, P.1, K.1, P.1, K.1, P.1, K.7, repeat from * 4 times more, P.1, K.1, P.1, K.1, P.1, K.1, P.1.

Row 2—*K.1, P.1, K.1, P.1, K.1, P.1, K.1, K.7, repeat from * 4 times more, K.1, P.1, K.1, P.1, K.1, P.1, K.1.
Repeat last 2 rows 7 times more.

Row 17—*K.7, K.1, P.1, K.1, P.1, K.1, P.1, K.1, repeat from * 4 times more, K.7.

Row 18—*K.7, P.1, K.1, P.1, K.1, P.1, K.1, P.1, repeat from * 4 times more, K.7.

Repeat last 2 rows 7 times more.

Repeat Rows 1 to 16 once.

K.2 rows (Garter St.).

Change to Ribbing Pattern St. and work Rows 1 to 16 twenty-two times, then repeat Rows 1 to 8. Work Basket Weave Pattern St. as before, then work Ribbing Pattern St. as at beginning, then work all Sts. in Garter St. for 12 rows. Bind off.

FRINGE: Wind yarn around a 2 inch cardboard. Cut loops at one side. Double and knot 2 strands in every other St. across each end of Scarf.

(continued on page 31)

No. 1804 (continued from page 30)

GLOVES

Size: Medium

Illustrated on page 3

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)
1 Ball

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 1—7 inch

Gauge: 11 Sts. to 1 inch (Pattern St.)

PATTERN STITCH: (Multiple of 2 Sts.)
Rows 1 to 8—*K.1, P.1, repeat from * around.
Rows 9 to 16—*P.1, K.1, repeat from * around.
Repeat from Row 1 for Pattern.

RIGHT GLOVE: Cast on 64 Sts., join, being careful not to twist Sts. Work in Ribbing of K.1, P.1, for 2½ inches, increasing 6 Sts. on last row (70 Sts. on needles). Divide Sts. on needles as follows: 24 Sts. on each of 2 needles, 22 Sts. on Third Needle. P.1 row, then work in Pattern St. for 1 inch. Next row work to last 2 Sts. on Third Needle, mark second St. from end, then increase 1 St. in this St. and in last St. on needle for thumb (always K. thumb Sts.). Work 1 row even.
Increase in the marked St. and in last St. every other row 12 times more (26 Sts. between marked St. and last St. on needle). Place these 26 Sts. on a St. Holder, cast on 2 Sts. over these Sts. (72 Sts.) and work even until work measures 8 inches from start (ending with Row 8 or 16 of Pattern). P.1 row, then on next row start fingers.

First Finger: Cast on 4 Sts. at the end of Third Needle, slip Sts. of First and Second Needles together with the first 4 Sts. of Third Needle onto a St. Holder. Divide remaining 24 Sts. on 3 needles. Join and K. even for 3 inches. Next row K. every third and fourth St. together around row. K. 1 row even. Next row K. every second and third St. together around row. K.1 row even. Next row K.2 together around row, break yarn and draw through remaining Sts., fasten yarn.
Second Finger: Take first 8 Sts. from St. Holder, cast on 4 Sts., take last 9 Sts. from St. Holder and pick up 5 Sts. on side of first finger (26 Sts.). Join and K. even for 3¼ inches. Decrease and finish same as first finger.
Third Finger: Pick up 5 Sts. on side of second finger, 9 Sts. from palm Sts. on St. Holder, cast on 4 Sts. and slip 8 Sts. from St. Holder (26 Sts.). Join and K. even for 3 inches. Decrease and finish same as first finger.
Fourth Finger: Take remaining Sts. from St. Holder and pick up 4 Sts. on side of third finger (22 Sts.), K.2 inches even, then decrease and finish same as other fingers.
Thumb: Pick up the 26 Sts. from St. Holder and 2 Sts. over the cast-on Sts. Join and K. even for 2 inches, then decrease and finish same as other fingers.

LEFT GLOVE: Work same as Right Glove to fingers.
First Finger: K. 10 Sts. of First Needle, cast on 4 Sts., slip remaining Sts. of First Needle, all Sts. of Second Needle and first 14 Sts. of Third Needle on a St. Holder. Divide the 24 Sts. on 3 needles and work same as first finger of other Glove.
Work other fingers in same manner as for Right Glove.

GOLF CLUB HOODS

Set of 4

Number 1805

Illustrated on page 4

●

MATERIALS REQUIRED:

Columbia Featherweight Knitting Worsted (2 ounce skein)
Main Color—2 Skeins
Trim Color—1 Skein

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 3—7 inch

Gauge: 7 Sts. to 1 inch
1 "Boye" Blunt End Tapestry Needle (for Duplicate St.)

HOOD: Starting at lower edge with Main Color, cast on 40 Sts. (12 Sts. on each of 2 needles, 16 Sts. on Third Needle). Join, being careful not to twist Sts. Work in Ribbing of K.2, P.2, for 5 inches. Next row increase 1 St. in every other St. (60 Sts. on needles), then work in Ribbing of K.1, P.1, for 6 rows. Divide Sts., having 16 Sts. on First Needle, 30 Sts. on Second Needle and 14 Sts. on Third Needle. Next row start diamond at center as follows: (Chart see below)



Row 1—Work Ribbing across 30 Sts., join strand of Trim Color (about 2 yards long) and with center of strand K. next St., with Main Color work Ribbing to end of row.

(continued on page 32)

No. 1805 (continued from page 31)

Row 2—Work Ribbing for 29 Sts., Trim Color K.1, Main Color K.1, Trim Color K.1 (using second half of long strand), work Ribbing to end of row (always keep Ribbing even and twist the 2 strands when changing color by picking up next color from underneath the strand being dropped).
Row 3—Work Ribbing for 28 Sts., Trim Color K.1, Main Color K.3, Trim Color K.1, work Ribbing to end of row.
Continue in this manner, working diamond Pattern from Chart, always knit the Trim Color St. with Main Color on the row following, working numbers with Duplicate St. later (Duplicate St. see Page 40). After the diamond is completed work 6 rows in Ribbing with Main Color. Break strand, join Trim Color, K.1 row, then decrease as follows:
Row 1—*K.2, K.2 together, repeat from * around.
Row 2—K.
Row 3—*K.1, K.2 together, repeat from * around.
Row 4—K.
Row 5—K.2 together around.
Row 6—K.
Break yarn and draw end through remaining Sts., draw tight and fasten.

Work 3 more Hoods the same. With Trim Color work numbers from Chart in Duplicate St.

DIAGONAL STRIPED TIE

Number 1806

Length: 52 inches

Illustrated on page 4

●

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)
Dark Color—2 Balls
Light Color—2 Balls

Knitting Needles: 1 Pair "Boye" Single Point Aluminum Size 0—7 inch

Gauge: 10 Sts. to 1 inch
14 Rows to 1 inch

PATTERN STRIPE:
Dark Color—8 rows
Light Color—4 rows
Dark Color—2 rows
Light Color—6 rows
Repeat the 20 rows for Pattern.

TIE: Starting at wide end with Dark Color, cast on 40 Sts. Work in Stockinette St. in Pattern Stripe as follows:
Row 1—K. across, increase 1 St. in last St.
Row 2—P. across.
Repeat the 2 rows (increasing 1 St. every other row) until there are 74 Sts. on needle (68 rows from start), then work as follows:
Row 1—K.2 together, K. across, increase 1 St. in last St.
Row 2—P. across.
Row 3—Same as Row 1.
Row 4—P. across to last 2 Sts., P.2 together (decreasing 1 St.).
Repeat the last 4 rows (decreasing 1 St. every 4th row) until 50 Sts. remain, then repeat Rows 1 and 4 (decreasing 1 St. every other row) until 30 Sts. remain (204 rows from start). Work even (repeat Rows 1 and 2) until work measures 33 inches from start. Increase for narrow end as follows:
Row 1—K. across, increase 1 St. in last St. (increasing 1 St.).
Row 2—P.
Row 3—K.2 together, K. across, increase 1 St. in last St.
Row 4—P.
Repeat last 4 rows (increasing 1 St. every 4th row) until there are 65 Sts. on needle, then decrease as follows:
Row 1—K.2 together, K. across row.
Row 2—P. across.
Repeat last 2 rows (decreasing 1 St. every other row) until 30 Sts. remain. Bind off. Fold Tie and sew seam at center. Face neckband with ribbon.

DIAMOND TIE

Number 1807

Length: 52 inches

Illustrated on page 4

●

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)
Dark Color—2 Balls
Light Color—1 Ball

Knitting Needles: 1 Pair "Boye" Single Point Aluminum Size 0—7 inch

Gauge: 10 Sts. to 1 inch
14 Rows to 1 inch

Wind 4 bobbins of each color. Starting at point, with Light Color cast on 1 St., then work from Chart (see Page 33) as follows:
Row 1—K.1, P.1, K.1 in this St.
Row 2—P.3.
Row 3—Increase 1 St. in first St., K.1, increase 1 St. in last St.
Row 4—P.5.
Row 5—Increase 1 St. in first St., K.3, increase 1 St. in last St.
Row 6—P.7.
Continue to increase 1 St. each side every other row until there are 21 Sts. on needle on Row 19.
Row 20—P.21.
Row 21—Light Color increase 1 St. in first St., K.9, join Dark Color and K.1 (center St.), join second bobbin of Light Color and K.9, increase 1 St. in last St. (always twist the 2 strands when changing color by picking up the new color from underneath the color being dropped).
Row 22—Light Color P.11, Dark Color P.1, Light Color P.11.
Row 23—Light Color increase 1 St. in first St., K.9, Dark Color K.3, Light Color K.9, increase 1 St. in last St.
Row 24—Light Color P.11, Dark Color P.3, Light Color P.11.
Continue to increase 1 St. each side and work 2 Sts. more with Dark Color until there are 19 Sts. of Dark Color.
Row 40—Light Color P.11, Dark Color P.19, Light Color P.11.

(continued on page 33)

No. 1807 (continued from page 32)

Row 41—Light Color increase 1 St. in first St., K.9, Dark Color K.10, join third bobbin of Light Color and K.1 (center St.), join second bobbin of Dark Color and K.10, Light Color K.9, increase 1 St. in last St.

Row 42—Light Color P.11, Dark Color P.10, Light Color P.1, Dark Color P.10, Light Color P.11.

Continue to follow Chart for Pattern, increases and decreases. When Pattern is completed, working with Dark Color only, decrease 1 St. each side every 12th row 7 times (21 Sts. on needle). Work even until work measures 33 inches from start, increase 1 St. each side, then every 1½ inches 10 times more. When work measures 48 inches from start, decrease 1 St. at beginning of each row until all Sts. are worked off.

Fold Tie and sew seam at center. Face neckband with ribbon.

No. 1813 (continued from page 18)

BACK: With Dark Color and Size 3 Needles cast on

100 Sts.	104 Sts.	108 Sts.

Work in Ribbing of K.1, P.1, for 3¾ inches, increasing

19 Sts.	20 Sts.	21 Sts.

across last row.
Sts. on Needle:

119 Sts.	124 Sts.	129 Sts.

Change to Size 5 Needles and work as follows:

Row 1—	K.13	K.15	K.17

work Cable Panel, K.21 (Pattern Panel), work Cable Panel,

K.11	K.12	K.13

work Cable Panel, K.21 (Pattern Panel), work Cable Panel,

K.13	K.15	K.17

Row 2—	P.13	P.15	P.17

work Cable Panel, P.21, work Cable Panel,

P.11	P.12	P.13

work Cable Panel, P.21, work Cable Panel,

P.13	P.15	P.17

Continue in this manner, starting Pattern from Chart in each Pattern Panel on next row, using 2 balls of Light Color.

When work measures same as Front to underarm,

To Shape Armholes: Bind off

7 Sts.	9 Sts.	11 Sts.

at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times.

When armhole measures same as at Front,

To Shape Shoulders: Bind off 10 Sts. at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

SLEEVES: With Dark Color and Size 3 Needles cast on

48 Sts.	50 Sts.	52 Sts.

Work in Ribbing of K.1, P.1, for 3½ inches, increasing 12 Sts. across last row.
Sts. on Needle:

60 Sts.	62 Sts.	64 Sts.

Change to Size 5 Needles and work as follows:

Row 1—	K.25	K.26	K.27

work Cable Panel,

K.25	K.26	K.27

(continued on page 34)

CHART FOR TIE NO. 1807



No. 1813 (continued from page 33)

Row 2— P.25 P.26 P.27
work Cable Panel,
P.25 P.26 P.27

Continue in this manner, working Cable Panel at center and increasing 1 St. each side of Sleeve every inch 10 times.
Sts. on Needle:
80 Sts. 82 Sts. 84 Sts.

When Sleeve measures
21″ 21½″ 22″

to underarm (or desired length),
To Shape Cap of Sleeve: Bind off 9 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
15 times 16 times 17 times

then bind off 3 Sts. at beginning of each of the next 4 rows, bind off remaining Sts.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams.

Collar: With Dark Color and Size 3 Needles pick up
96 Sts. 96 Sts. 106 Sts.

around neck edge. Work in Ribbing of K.1, P.1, for 3 inches, bind off loosely in Ribbing.

Sew separating slide fastener in front opening.

CHART FOR NO. 1813



HELMET AND MITTENS

Number 1814

HELMET

Illustrated on page 12

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (1 ounce ball)
6 Balls

—OR—

Columbia Knitting Worsted (4 ounce skein)
2 Skeins

Knitting Needles: 1 Pair "Boye" Size 4—10 inch

Gauge: 5½ Sts. to 1 inch (Garter St.)

FRONT: Cast on 60 Sts. K. 5 inches (Garter St.). Next row decrease 12 Sts. (by K. every 4th and 5th St. together), 48 Sts. on needle. Work in Ribbing of K.2, P.2, for 6 inches. Next row start Face Opening as follows: Work 10 Sts., slip these Sts. on St. Holder, bind off 28 Sts., on remaining 10 Sts. continue Ribbing for 12 rows, break yarn. Work across the 10 Sts. on St. Holder and work 11 rows more, then cast on 28 Sts. over the bound-off Sts. and join to the 10 Sts. at other side (48 Sts. on needle). Continue in Ribbing for 4 inches, then decrease for top of Helmet as follows:
Row 1—K.2, K.2 together, K.14, K.2 together, K.14, K.2 together, K.12.
Row 2—P.
Row 3—K.2, K.2 together, K.13, K.2 together, K.13, K.2 together, K.11.
Row 4—P.
Continue to decrease 3 Sts. every K. row (having 1 St. less between decreases) until 9 Sts. remain, bind off.

BACK: Work same as Front, omitting Face Opening.

Join Back and Front, starting seam at start of Ribbing.

MITTENS

Illustrated on page 12

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (4 ounce skein)
1 Skein

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 2—7 inch

Gauge: 6½ Sts. to 1 inch (Stockinette St.)

MITTEN: Cast on 52 Sts., 18 Sts. on each of 2 needles and 16 Sts. on Third Needle. Join, being careful not to twist Sts. Work in Ribbing of K.2, P.2, for 3½ inches, then change to Stockinette St. and increase for thumb as follows:

(continued on page 35)

No. 1814 (continued from page 34)

Row 1—Increase 1 St. in first St., K.1, increase 1 St. in next St., K. around.

Rows 2 and 3—K.

Row 4—Increase 1 St. in first St., K.3, increase 1 St. in next St., K. around.

K. 2 rows.

Continue to increase 2 Sts. for thumb every third row (having 2 Sts. more between increases) 6 times more, K.1 row.

Slip the 19 thumb Sts. on a strand of yarn, cast on 3 Sts. over thumb, then K. even until work measures 9½ inches from start (or desired length, allowing 1½ inches to finish). Next row start decreases as follows:

Row 1—K.1, K.2 together, K.20, slip 1, K.1, P.S.S.O., K.2, K.2 together, K.20, slip 1, K.1, P.S.S.O., K.1.

Row 2—K.

Row 3—K.1, K.2 together, K.18, slip 1, K.1, P.S.S.O., K.2, K.2 together, K.18, slip 1, K.1, P.S.S.O., K.1.

Row 4—K.

Continue to decrease 4 Sts. every other row in this manner 5 times more. Weave remaining Sts. together across top (weaving see Page 49).

THUMB: Slip Sts. of thumb on 3 needles. Pick up the 3 cast-on Sts. (22 Sts.), K.1 row.

Next row decrease 2 Sts. in Gusset, then on 20 Sts. K. even for 2 inches, then decrease 2 Sts. each side every other row 3 times (by slip 1, K.1, P.S.S.O., K.2 together). Break yarn, draw strand of yarn through last 8 Sts., draw tight and fasten.

Work other Mitten the same.

PERENNIAL FAVORITE

Number 1815

Sizes 36, 38, 40 and 42

Illustrated on page 13

●

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

	Size 36	Size 38	Size 40	Size 42
White	3 Balls	3 Balls	4 Balls	4 Balls
Red	1 Ball	1 Ball	1 Ball	1 Ball
Blue	1 Ball	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair "Boye" Size 2—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.)

SIZES:	**36**	**38**	**40**	**42**

BACK: With White and Size 2 Needles cast on

144 Sts.	152 Sts.	160 Sts.	168 Sts.

Work in Ribbing of K.1, P.1, for 2½ inches. With Blue K. 1 row (on right side of work), then with Blue work in Ribbing of K.1, P.1, for 5 rows. With White K. 1 row, then work in Ribbing for 5 rows. With Red K. 1 row, then work in Ribbing for 5 rows. Change to Size 3 Needles and Stockinette St., with White work even until work measures

14″	14″	14½″	14½″

from start.

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 10 times. Sts. on Needle:

108 Sts.	116 Sts.	124 Sts.	132 Sts.

Work even until armholes measure 8½ inches (measured straight). Next row

K.34	K.38	K.42	K.46

bind off 40 Sts., on remaining

34 Sts.	38 Sts.	42 Sts.	46 Sts.

work Left Shoulder, decreasing 1 St. at neck edge every row 10 times.

To Shape Shoulder: Bind off

6 Sts.	7 Sts.	8 Sts.	9 Sts.

at armhole edge every other row 4 times. Work Right Shoulder to correspond.

FRONT: Work same as Back until work measures

13½″	13½″	14″	14″

from start. Divide Sts. for V neck, slipping

72 Sts.	76 Sts.	80 Sts.	84 Sts.

of Right Shoulder on St. Holder, then work Left Shoulder as follows: Decrease 1 St. at neck edge every 3rd row 30 times and at the same time, when work measures same as Back to underarm, shape armhole to correspond with Back.
When armhole measures same as at Back, bind off

6 Sts.	7 Sts.	8 Sts.	9 Sts.

at armhole edge every other row 4 times.
Work Right Shoulder to correspond.

Neck Border at Back: On right side of work, with White and Size 2 Needles pick up and K.80 Sts. at neck edge. Change to Blue and P. 1 row, then work 6 rows in Ribbing of K.1, P.1. With White K. 1 row, then work 5 rows in Ribbing. With Red K. 1 row, then work 5 rows in Ribbing, with White K. 1 row, then work 7 rows in Ribbing, bind off in Ribbing.
Work Border at V neck of Front the same, picking up 200 Sts. and mitering at center (mitering see Page 49).

Sew shoulder seams.

Armhole Bands: On right side of work, with White and Size 2 Needles pick up and K. 190 Sts. around armhole and work in Ribbing of K.1, P.1, for ¾ inch. Bind off in Ribbing.

Sew underarm seams.

TURTLE NECK SLIPOVER

Number 1816

Sizes 36, 38, 40 and 42

Illustrated on page 13

●

MATERIALS REQUIRED:

Columbia Afghan Germantown (2 ounce skein)

Size 36	Size 38	Size 40	Size 42
8 Skeins	8 Skeins	9 Skeins	10 Skeins

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 4—14 inch
1 Set of "Boye" Double Point Needles Size 3—7 inch (for Turtle Neck)

Gauge: 6 Sts. to 1 inch (Stockinette St.—Size 4 Needles)

SIZES:	36	38	40	42

BACK: With Size 3 Needles cast on

108 Sts.	112 Sts.	120 Sts.	124 Sts.

Work in Ribbing of K.2, P.2, for 4 inches. Change to Size 4 Needles and Stockinette St.

———	increase 2 Sts. on first row.	———	increase 2 Sts. on first row.

Work even until work measures

16″	16″	16½″	17″

(or desired length to underarm).

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 3 times.
Sts. on Needle:

90 Sts.	96 Sts.	102 Sts.	108 Sts.

Work even until armhole measures

8″	8″	8½″	9″

(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off

10 Sts.	11 Sts.	11 Sts.	12 Sts.

at beginning of each of the next 6 rows, slip remaining Sts. on St. Holder.

FRONT: Work same as Back until armhole measures

5½″	5½″	6″	6½″

To Shape Neck:

K.50 Sts.	K.53 Sts.	K.57 Sts.	K.60 Sts.

slip these Sts. on St. Holder, on remaining

40 Sts.	43 Sts.	45 Sts.	48 Sts.

work Right Shoulder, decreasing 1 St. at neck edge every row

10 times	10 times	12 times	12 times

When armhole measures same as at Back,

To Shape Shoulder: Bind off

10 Sts.	11 Sts.	11 Sts.	12 Sts.

at armhole edge every other row 3 times.

Leaving

10 Sts.	10 Sts.	12 Sts.	12 Sts.

at center front on St. Holder, work Left Shoulder to correspond.

SLEEVES: With Size 3 Needles cast on

56 Sts.	56 Sts.	60 Sts.	64 Sts.

Work in Ribbing of K.2, P.2, for 4 inches. Change to Size 4 Needles and Stockinette St. Increase 1 St. each side, then every inch 15 times more.
Sts. on Needle:

88 Sts.	88 Sts.	92 Sts.	96 Sts.

When Sleeve measures

20″	20½″	21″	21½″

(or desired length),

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every row until 36 Sts. remain. Bind off.

Sew shoulder seams.

Turtle Neck: On right side of work with Double Point Needles, pick up and K.

88 Sts.	88 Sts.	96 Sts.	96 Sts.

around neck edge (including Sts. on St. Holders). Work in Ribbing of K.2, P.2, for 6½ inches, bind off loosely in Ribbing.

Sew Sleeves in place, sew underarm and sleeve seams.

PLAID MUFFLER

Number 1819

Approximate Size After Weaving: 38″ x 11″

Illustrated on page 20

●

MATERIALS REQUIRED:

Columbia Fingering Yarn (1 ounce ball)
Color 1—3 Balls (Green)
Color 2—1 Ball (Navy)
Color 3—1 Ball (White)
Color 4—1 Ball (Red)
Color 5—1 Ball (Yellow)

Knitting Needles: 1 Pair "Boye" Size 4—14 inch

Gauge: 7 Sts. to 1 inch
14 Rows to 1 inch

1 "Boye" Non-Inflammable Plastic Crochet Hook "E" (Size 1 or 2)
1 "Boye" Blunt End Tapestry Needle (for weaving)

(continued on page 37)

No. 1819 (continued from page 36)

The Vertical Stripes are woven after Scarf is completed.

SCARF: With Color 1 cast on 74 Sts. Work in Garter St. (K. every row) in Stripe Pattern as follows:

6 Rows Color 1	2 Rows Color 4
*4 Rows Color 2	2 Rows Color 2
2 Rows Color 3	4 Rows Color 4
2 Rows Color 2	4 Rows Color 1
2 Rows Color 3	2 Rows Color 2
2 Rows Color 2	2 Rows Color 3
4 Rows Color 1	2 Rows Color 2
2 Rows Color 4	2 Rows Color 3
2 Rows Color 2	4 Rows Color 2
2 Rows Color 4	24 Rows Color 1
2 Rows Color 3	

Repeat Striping from * 6 times more, then repeat from * for 54 rows, bind off.

TO WEAVE VERTICAL STRIPES: Thread Tapestry Needle with 50 inch strand of Color 1. **First Row:** Starting at right-hand corner, insert Tapestry Needle under first St. of first ridge, skip next ridge, insert needle under first St. of next ridge and draw yarn through (leaving a 4½ inch end for Fringe), skip next ridge, continue in this manner to end of Scarf, being careful not to draw strand taut, leaving a 4½ inch strand for Fringe. **Second Row:** With Color 1 start in second St. of second ridge, insert needle under St., draw yarn through, *skip next ridge, insert needle under second St. of next ridge, draw yarn through, repeat from * to end of Scarf. Continue weaving in this manner, working Vertical Stripes as follows:

6 Rows Color 1 (from start)	1 Row Color 4
*2 Rows Color 2	1 Row Color 2
1 Row Color 5	2 Rows Color 4
1 Row Color 2	2 Rows Color 1
1 Row Color 3	1 Row Color 2
1 Row Color 2	1 Row Color 3
2 Rows Color 1	1 Row Color 2
2 Rows Color 4	1 Row Color 5
1 Row Color 2	2 Rows Color 2
1 Row Color 4	12 Rows Color 1
1 Row Color 3	

Repeat from *, ending with 6 rows of Color 1.

FRINGE: Wind yarn over a 4½ inch cardboard. Cut at one side. Fold and knot 2 strands (together with the Fringe) in every St. across each end of Scarf, matching Colors. Trim Fringe.

KNITTED TIE

Number 1820

Length: 52 inches

Illustrated on page 20

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)
3 Balls

Knitting Needles: 1 Pair "Boye" Single Point Aluminum Size 0—7 inch

Gauge: 10 Sts. to 1 inch

PATTERN STITCH:
Row 1—K. (right side of work).
Row 2—*K.1, P.1, repeat from * across.
Row 3—K.
Row 4—*P.1, K.1, repeat from * across.
Repeat the 4 rows for Pattern St.

Cast on 52 Sts. Work in Pattern St. even for 16 inches. Decrease 1 St. each side, then every ½ inch 14 times more (22 Sts. on needle—23 inches from start).

Work 12 inches even for neckband, increase 1 St. each side, then every inch 2 times more, then every ½ inch 12 times (52 Sts. on needle). Work even for 9 inches (52 inches from start), bind off. Fold and sew seam at center. Face neckband with ribbon. Sew across each end.

"T" SHIRT

Number 1821

Sizes 36, 38, 40 and 42

Illustrated on page 21

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

Size 36	**Size 38**	**Size 40**	**Size 42**
5 Balls	5 Balls	6 Balls	6 Balls

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.—Size 3 Needles)

SIZES:	**36**	**38**	**40**	**42**

BACK: With Size 1 Needles cast on

144 Sts.	152 Sts.	160 Sts.	168 Sts.

Work in Ribbing of K.1, P.1, for 2 inches. Change to Size 3 Needles and Stockinette St. and work even until work measures

14″	14″	15″	15″

from start (or desired length to underarm).

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

3 times	3 times	2 times	2 times

When armhole measures

8½″	8½″	9″	9″

(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off

10 Sts.	11 Sts.	12 Sts.	13 Sts.

at beginning of each of the next 8 rows, bind off remaining Sts. for back of neck.

(continued on page 38)

No. 1821 (continued from page 37)

FRONT: Work same as Back to underarm.
Shape Armholes and start Garter St. Border at center as follows: (Right side of work)
Row 1—Bind off 10 Sts., K. across row.
Row 2—Bind off 10 Sts.

P.58	P.62	P.66	P.70

K.8 (Garter St. Border), P. to end of row.
Continue working 8 center Sts. in Garter St. and at the same time work armhole decreases as on Back.
When Border measures 2½ inches, divide Sts. at center. Continuing 4 Sts. in Garter St. for Border, work each side separate for

3″	3″	3½″	3½″

To Shape Neck: Bind off 4 Sts. at front edge, then decrease 1 St. every row

15 times	15 times	16 times	16 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off

10 Sts.	11 Sts.	12 Sts.	13 Sts.

at armhole edge every other row 4 times.

SLEEVES: With Size 3 Needles cast on

104 Sts.	104 Sts.	108 Sts.	108 Sts.

Work in Stockinette St. for ¾ inch, P.1 row on right side of work for turn of hem. Continue in Stockinette St., increasing 1 St. each side every 6th row 10 times.
Sts. on Needle:

124 Sts.	124 Sts.	128 Sts.	128 Sts.

When Sleeve measures 5½ inches from P. row of hem (or desired length to underarm),
To Shape Cap of Sleeve: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

15 times	15 times	19 times	19 times

then bind off 2 Sts. at beginning of each of the next

10 rows	10 rows	8 rows	8 rows

Bind off remaining Sts.

Collar: With Size 3 Needles cast on 120 Sts. Work first and last 4 Sts. in Garter St. and remaining Sts. in Stockinette St., increasing 1 St. in 5th St. at each end every 3rd row 9 times. P. 1 row on right side for turn of hem, work 4 rows in Stockinette St., bind off.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Sew hem of Collar in place, sew Collar to neck edge. Sew hem of Sleeves. Work 1 loop at neck edge to fasten.

BASQUE SHIRT

Number 1822

Sizes 36, 38, 40 and 42

Illustrated on page 21

●

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

	Size 36	**Size 38**	**Size 40**	**Size 42**
Color 1	3 Balls	3 Balls	4 Balls	4 Balls
Color 2	1 Ball	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.—Size 3 Needles)

SIZES:	**36**	**38**	**40**	**42**

BACK: With Size 1 Needles and Color 1 cast on

144 Sts.	152 Sts.	160 Sts.	168 Sts.

Work in Ribbing of K.1, P.1, for 3 inches. Change to Size 3 Needles and Stockinette St., working Stripes as follows:

Color 1—14 rows. → Color 2—2 rows.
*Color 2—6 rows. Color 3—2 rows.
Color 3—2 rows. Color 2—6 rows.
Color 2—2 rows. Color 1—14 rows.
Color 1—4 rows.

Repeat from * once, then continue with Color 1 until work measures

14″	14″	15″	15″

(or desired length to underarm) from start.

To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, change to Color 2 and repeat Stripes from *, decreasing 1 St. each side every other row

8 times	8 times	11 times	11 times

Sts. on Needle:

118 Sts.	126 Sts.	128 Sts.	136 Sts.

Work even, continuing last Color 2 Stripe until armhole measures

8½″	8½″	9″	9″

(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off

10 Sts.	11 Sts.	11 Sts.	12 Sts.

at beginning of each of the next 8 rows, change to Size 1 Needles and work in Ribbing of K.1, P.1, for ¾ inch for Neckband. Bind off loosely in Ribbing.

FRONT: Work same as Back until armhole measures

6″	6″	6½″	6½″

To Shape Neck:

K.72	K.76	K.77	K.81

slip these Sts. on St. Holder, on remaining

46 Sts.	50 Sts.	51 Sts.	55 Sts.

work Right Shoulder as follows: Decrease 1 St. at neck edge every other row

6 times	6 times	7 times	7 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off

10 Sts.	11 Sts.	11 Sts.	12 Sts.

at armhole edge every other row 4 times.
Leaving 26 Sts. at center on St. Holder, work Left Shoulder to correspond.

Neckband: With Size 1 Needles and Color 2 pick up and K.

88 Sts.	88 Sts.	92 Sts.	92 Sts.

(including Sts. on St. Holder) across neck edge of Front, then work in Ribbing of K.1, P.1, for ¾ inch. Bind off loosely in Ribbing.

SLEEVES: With Size 3 Needles and Color 2 cast on

104 Sts.	104 Sts.	108 Sts.	108 Sts.

(continued on page 39)

No. 1822 (continued from page 38)

Work in Stockinette St. for ¾ inch, K.1 row on wrong side for turn of hem. Work Stripes from * once, then continue with Color 1 until Sleeve measures 3¾ inches from turn of hem.

To Shape Cap of Sleeve: Bind off 5 Sts. at beginning of each of the next 2 rows. Work Stripes to correspond with Back and Front, decreasing 1 St. each side every other row

15 times 15 times 19 times 19 times

then bind off 2 Sts. at beginning of each of the next

10 rows 10 rows 8 rows 8 rows

Bind off remaining Sts.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Turn up hem of Sleeves and sew.

ARGYLE SOCKS

Number 1823

Size 11½ (or desired length)

Illustrated on page 24

●

MATERIALS REQUIRED:

Columbia Nylon Sweater and Sock Yarn (1 ounce ball)
(Dupont Permanent "Crimp-Set")

Color A—(Main Color)—2 Balls
Color B—(Diamond Color)—1 Ball
Color C—(Diamond Color)—1 Ball
Color D—(Outline Color)—1 Ball

Knitting Needles: 1 Pair "Boye" Size 1—10 inch
1 Set of "Boye" Double Point Needles Size 1—7 inch

Gauge: 9 Sts. to 1 inch

With 10 inch needles and Main Color cast on 68 Sts. loosely. Work in Ribbing of K.1, P.1, for 2 inches, increasing across last row to 72 Sts. Change to Stockinette St. and work from Chart (opposite), using separate bobbins for each color and twisting strands when changing colors by picking up the new color from underneath the color being dropped. Work 108 rows (from Chart) to heel, then slip 18 Sts. at each side onto St. Holders. Continue Pattern on center 36 Sts. until diamond is completed. Slip these Sts. onto St. Holder.

HEEL: Join heel Sts. on 1 needle and work as follows:

Row 1—(Right side of work) *Slip 1, K.1, repeat from * across row.

Row 2—Slip 1, then P. across row.

Repeat the 2 rows 17 times more (36 rows).

TO TURN HEEL:

Row 1—K.23, slip 1, K.1, P.S.S.O., turn.

Row 2—Slip 1, P.10, P.2 together, turn.

Row 3—Slip 1, K.10, slip 1, K.1, P.S.S.O., turn.

Repeat Rows 2 and 3 until all Sts. are worked off each side (12 Sts. remaining on needle). Pick up 18 Sts. at each side of heel (48 Sts. on needle) and work in Stockinette St., decreasing 1 St. each side every other row 6 times (36 Sts. on needle), then work even until work measures same length as instep. Slip 36 Sts. of instep on First Double Point Needle, slip 18 Sts. onto each of Second and Third Double Point Needle and K. around until foot measures 9½ inches (or desired length, allowing 2 inches for shaping toe).

TO SHAPE TOE: Row 1—First Needle: K.1, K.2 together, K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; Second Needle: K.1, K.2 together, K. to end of needle; Third Needle: K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1.

Row 2—K.

Repeat these 2 rows until 24 Sts. remain. Place 6 Sts. from Second Needle onto Third Needle and weave or sew Sts. together (weaving see Page 49).

Sew seams.

CHART FOR ARGYLE SOCKS—NO. 1823



ARGYLE SOCKS

Number 1824

Size 11½ (or desired length)

Illustrated on page 24

MATERIALS REQUIRED:

Columbia Nylon Sweater and Sock Yarn (1 ounce ball)
(Dupont Permanent "Crimp-Set")

M—Main Color 2 Balls
X—Diamond Color 1 Ball
Z—Diamond Color, ●—Crossline Color } 1 Ball
O—Crossline Color 1 Ball

Knitting Needles: 1 Pair "Boye" Size 1—10 inch
1 Set of "Boye" Double Point Needles Size 1—7 inch

Gauge: 9 Sts. to 1 inch

1 "Boye" Blunt End Tapestry Needle (for Duplicate St.)

Work from Chart (below) in Stockinette St., working the Diamond Patterns in solid colors, disregarding the Crossline Stripes O and ● which are worked in Duplicate St. after the Socks are completed; winding 2 bobbins each of Colors M, Z and X.

With Color M and 10 inch Needles cast on 68 Sts. (loosely). Work in Ribbing of K.2, P.2, for 3 inches, then work Pattern from Chart for 66 rows to heel, twisting strands when changing colors (by picking up the new color from underneath the color being dropped).

CHART FOR NO. 1824



□—M—Main Color Z—Diamond X—Diamond O—Crossline ●—Crossline

HEEL: Slip 17 Sts. at each side on St. Holders for heel and continue from Chart on 34 instep Sts. until Pattern is completed. Slip these Sts. on St. Holder.
Join heel Sts. on 1 needle and work as follows:
Row 1—(Right side of work) *Slip 1, K.1, repeat from * across row.
Row 2—Slip 1, then P. across row.
Repeat these 2 rows 17 times more (36 rows).

TO TURN HEEL:
Row 1—K.22, slip 1, K.1, P.S.S.O., turn.
Row 2—Slip 1, P.10, P.2 together, turn.
Row 3—Slip 1, K.10, slip 1, K.1, P.S.S.O., turn.
Repeat Rows 2 and 3 until all Sts. are worked off each side (12 Sts. remaining on needle). Pick up 18 Sts. at each side of heel (48 Sts. on needle) and work in Stockinette St., decreasing 1 St. each side every other row 7 times (34 Sts. on needle), then work even until work measures same length as instep. Slip 34 Sts. of instep from St. Holder onto First Double Point Needle, slip 17 Sts. onto each of Second and Third Double Point Needle and K. around until foot measures 9½ inches (or desired length, allowing 2 inches for shaping toe).

TO SHAPE TOE: First Needle: K.1, K.2 together, K. to last 3 Sts. on needle, slip 1, K.1, P.S.S.O., K.1; Second Needle: K.1, K.2 together, K. to end of needle; Third Needle: K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1.
K.1 row.
Repeat last 2 rows until 24 Sts. remain. Slip 6 Sts. from Second Needle onto Third Needle, then weave the Sts. together (see Page 49).

Work Duplicate St. (below). Sew seams.

DUPLICATE STITCH



DUPLICATE STITCH: Follow Chart for placement of Sts. Thread Tapestry Needle with strand of yarn. Fasten on wrong side of work. *Insert needle in center of St. and draw yarn through to right side of work, then insert needle under the 2 strands of yarn of St. above as illustrated and draw yarn through, then insert needle in center of same St. below and draw yarn through to wrong side of work, repeat from *.

RIBBED SOCKS

Number 1825

Size 11½ (or desired length)

Illustrated on page 24

●

MATERIALS REQUIRED:

Columbia Nylon Sweater and Sock Yarn (1 ounce ball)
(Dupont Permanent "Crimp-Set")
3 Balls

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 1—7 inch
1 Set of "Boye" Double Point Needles Size 0—7 inch

Gauge: 9 Sts. to 1 inch (Size 1 Needles)

With Size 1 Needles cast on 72 Sts., 24 Sts. on each of 3 needles. Join, being careful not to twist Sts. Work in Ribbing of K.1, P.1, for 2½ inches, then work in Ribbing of K.4, P.2, for 4 inches. Change to Size 0 Needles and work for 3 inches.

Change to Size 1 Needles.

HEEL: Divide Sts. on needles as follows: 19 Sts. on each of 2 needles (having 2 P. Sts. each side) for instep and 34 Sts. on Third Needle (heel Sts.). Work back and forth on these 34 heel Sts. in Stockinette St. for 2 inches.

TO TURN HEEL: K. first 9 Sts., place a marker on needle, K.2 together, K.12 Sts., K.2 together, place a marker on needle, K. remaining 9 Sts. Decrease 1 St. after first marker and before second marker every other row until there are 8 Sts. between markers. Fold heel at center back and weave first 13 Sts. to last 13 Sts. Pick up and K.44 Sts. around heel (22 Sts. on First and Second Needles), work in Ribbing Pattern on 38 instep Sts. on Third Needle, then work around as follows: K.1, K.2 together at beginning of the First Needle; work across to last 3 Sts. on Second Needle, K.2 together, K.1 (always work across Third Needle in Ribbing Pattern). Work 3 rows even. Continue in this manner, decreasing 1 St. at beginning of First Needle and at end of the Second Needle every 4th row until there are 17 Sts. on each of the first 2 needles. Work even until foot measures 9½ inches (or desired length) from back of heel, allowing 2 inches for toe shaping.

TO SHAPE TOE: Slip 1 St. from each side of instep needle to First and Second Needle and K. around as follows:

Row 1—K.1, K.2 together, K. across First Needle; K. to last 3 Sts. of Second Needle, K. 2 together, K.1; Third Needle: K.1, K.2 together, K. to last 3 Sts., K.2 together, K.1.

Row 2—K.

Repeat last 2 rows until 24 Sts. remain. Place 6 Sts. from First Needle onto Second Needle and weave or sew Sts. together (weaving see Page 49).

SHORT OR LONG PLAIN SOCKS

Number 1826

Size 11½ (or desired length)

Illustrated on page 25

●

MATERIALS REQUIRED:

Columbia Sock Yarn (1 ounce ball)
2 Balls (Short Socks)
3 Balls (Long Socks)

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 1—7 inch

Gauge: 9 Sts. to 1 inch

Use instructions as written for short socks, substituting numbers in italics for long socks.

Cast on 68 Sts. (24 Sts. on each of 2 needles and 20 Sts. on Third Needle). Join, being careful not to twist Sts. and work in Ribbing of K.2, P.2, for 2 (*3*) inches, then K. around for 3½ (*6*) inches.

HEEL: Slip 17 Sts. onto First Needle, slip next 34 Sts. onto 2 needles or St. Holder for instep, slip last 17 Sts. onto First Needle (34 Sts. for heel).

Row 1—*Slip 1, K.1, repeat from * across row.

Row 2—Slip 1, then P. across row.

Repeat these 2 rows 17 times more (36 rows).

TO TURN HEEL:

Row 1—K.22, slip 1, K.1, P.S.S.O., turn.

Row 2—Slip 1, P.10, P.2 together, turn.

Row 3—Slip 1, K.10, slip 1, K.1, P.S.S.O., turn.

Repeat Rows 2 and 3 until all Sts. are worked off each side (12 Sts. remaining on needle), ending on P. row. K.6 to center of heel, slip 34 Sts. of instep onto 1 needle, then K. around as follows:

First Needle: K.6, pick up and K.18 Sts. at side of heel; Second Needle: K.34; Third Needle: Pick up and K. 18 Sts. at other side of heel, K.6 (82 Sts.).

Next row K. across to last 3 Sts. of First Needle, slip 1, K.1, P.S.S.O., K.1; K. across Second Needle; Third Needle: K.1, K.2 together, K. to end of needle. K.1 row.

Repeat last 2 rows 6 times more (68 Sts.).

K. around until foot measures 9½ inches from back of heel (or desired length, allowing 2 inches to finish toe).

TO SHAPE TOE: K. to last 3 Sts. on First Needle, slip 1, K.1, P.S.S.O., K.1; Second Needle: K.1, K.2 together, K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; Third Needle: K.1, K.2 together, K. to end of needle (decreasing 4 Sts.).

K.1 row even.

Repeat last 2 rows until 24 Sts. remain. K.6 across First Needle. Slip 6 Sts. from Third Needle onto First Needle and weave Sts. together (weaving see Page 49).

DOUBLE DIAMOND SOCKS

Number 1827

Size 11½ (or desired length)

Illustrated on page 25

●

MATERIALS REQUIRED:

Columbia Fingering Yarn (1 ounce ball)

M—Main Color—2 Balls
X—Outline Diamond Color—1 Ball
●—Crossline Color—1 Ball
o—Crossline Color—1 Ball

Knitting Needles: 1 Pair "Boye" Size 2—10 inch
1 Set of "Boye" Double Point Needles Size 2—7 inch

Gauge: 9 Sts. to 1 inch

1 "Boye" Blunt End Tapestry Needle (for Duplicate St.)

Wind 7 bobbins of Main Color, 6 of Outline Diamond Color and 4 of Crossline Color ● and 4 of Crossline Color o (Crosslines may be worked in Duplicate St. after the Sock is completed—Duplicate St. see Page 40).
With M and 10 inch needles cast on (loosely) 68 Sts. Work in Ribbing of K.2, P.2, for 3½ inches, then work Pattern from Chart (opposite), twisting strands when changing colors by picking up the new color from underneath the color being dropped. Work 52 rows of Pattern to heel.

Work heel, foot and toe same as in Instruction No. 1824 (see Page 40).

Work Duplicate St. before sewing seams if Crosslines have not been knitted in.

CHART FOR NO. 1827



RIBBED SOCKS

Number 1828

Size 11½ (or desired length)

Illustrated on page 25

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (4 ounce skein)
1 Skein

Knitting Needles: 1 Set of "Boye" Double Point Needles Size 5—7 inch

Gauge: 6 Sts. to 1 inch (Ribbing)
5½ Sts. to 1 inch (Stockinette St.)

Cast on 51 Sts. (15 Sts. on each of 2 needles and 21 Sts. on Third Needle). Join, being careful not to twist Sts., then work in Ribbing of K.2, P.1, for 8 inches (or desired length to heel).

TO SHAPE HEEL: Slip 13 Sts. on each of 2 needles for instep, on remaining 25 Sts. work heel in Stockinette St. as follows:

Row 1—K.4, K.2 together, K.5, K.2 together, K.5, K.2 together, K.5, turn (22 Sts. on needle).

Row 2—P.

Row 3—K.

Repeat Rows 2 and 3 until heel measures 2 inches.
Next row K.6, place a marker on needle, K.2 together, K.6, K.2 together, place a marker on needle, K.6. P.1 row.
Decrease 1 St. after first marker and 1 St. before second marker every other row 2 times more (4 Sts. remaining between markers), 16 Sts. on needle. P.8, fold heel at center back and weave (see Page 49) the first 8 Sts. to the second 8 Sts., forming cap of heel. Pick up 30 Sts. across edge of heel on right side of work (15 Sts. on each of First and Second Needle), then K. 26 Sts. of instep on Third Needle. K. around and decrease as follows: First Needle: K.1, K.2 together, K. to end of needle; Second Needle: K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; K. across

(continued on page 43)

No. 1828 (continued from page 42)

Third Needle. K. 4 rows even. Decrease 2 Sts. in this manner 3 times more (48 Sts. on needles). K. around even until foot measures 10½ inches from back of heel (or desired length, allowing 1 inch to finish toe). Decrease 4 Sts. across Third Needle (22 Sts. on instep needle, 11 Sts. on each of First and Second Needle).

TO SHAPE TOE: First Needle: K.1, K.2 together, K. to end of needle; Second Needle: K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; Third Needle: K.1, K.2 together, K. across to last 3 Sts., slip 1, K.1, P.S.S.O., K.1. K.1 row even. Repeat last 2 rows until 16 Sts. remain. Slip 4 Sts. from First and Second Needle onto 1 needle and weave these Sts. to the 8 Sts. on Third Needle.

SHORT OR LONG CABLE SOCKS

Number 1829

Size 11½ (or desired length)

Illustrated on page 25

●

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)
Long Socks—2 Balls
Short Socks—2 Balls

Knitting Needles: 5 "Boye" Double Point Needles Size 2—7 inch (5th needle for Cable)

Gauge: 9 Sts. to 1 inch (Stockinette St.)

Use instructions as written for long socks; for short socks use instructions as written, substituting numbers in italics.

CABLE STITCH PATTERN:
Rows 1 to 5—*K.2, P.2, K.6, P.2, repeat from * around.
Row 6—*K.2, P.2, slip next 3 Sts. on 5th Double Point Needle, place in back of work, K.3, then K.3 from the 5th Double Point Needle, P.2, repeat from * around.
Repeat these 6 rows for Pattern.

Cast on 72 Sts., 24 Sts. on each of 3 needles. Join, being careful not to twist Sts. Work in Ribbing of K.2, P.2, for 2½ (2) inches, then work in Pattern St. for 8½ (3½) inches.

HEEL: Slip first 12 Sts. and last 22 Sts. onto 1 needle for heel. Slip remaining 38 Sts. onto 2 needles. Work on 34 heel Sts. as follows:
Row 1—*Slip 1, K.1, repeat from * across row.
Row 2—Slip 1, then P. across row.
Repeat these 2 rows 17 times more (36 rows).

TO TURN HEEL:
Row 1—K.22, slip 1, K.1, P.S.S.O., turn.
Row 2—Slip 1, P.10, P.2 together, turn.
Row 3—Slip 1, K.10, slip 1, K.1, P.S.S.O., turn.
Repeat Rows 2 and 3 until all Sts. are worked off each side (12 Sts. remaining on needle). Divide Sts. on needles as follows: First Needle: K.12, pick up and K. 18 Sts. at side of heel; Second Needle: Work in Pattern St. across 38 Sts.; Third Needle: Pick up and K. 18 Sts. at other side of heel, then K. 6 Sts. from First Needle onto Third Needle (24 Sts. on each of First and Third Needle). Work around as follows:
Row 1—K. to last 2 Sts. of First Needle, slip 1, K.1, P.S.S.O.; work across Second Needle in Pattern St.; Third Needle: K.2 together, K. to end of needle.
Row 2—K. across First Needle, work in Pattern St. across Second Needle, K. across Third Needle.
Repeat these 2 rows 6 times more (17 Sts. on First and Third Needle).
Continue 38 instep Sts. in Pattern St. and K. remaining Sts. until foot measures 9½ inches from back of heel (or desired length, allowing 2 inches to finish toe).

TO SHAPE TOE: Slip 1 St. from each side of instep onto First and Third Needles.
Row 1—First Needle: K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; Second Needle: K.1, K.2 together, K. to last 3 Sts., slip 1, K.1, P.S.S.O., K.1; Third Needle: K.1, K.2 together, K. to end of needle.
Row 2—K.
Repeat these 2 rows until 24 Sts. remain. K. across First Needle, then slip the 6 Sts. onto Third Needle (12 Sts. on each of 2 Needles). Weave or sew these Sts. together (weaving see Page 49).

CABLE SLEEVELESS SLIPOVER

Number 1830

Sizes 36, 38, 40 and 42

Illustrated on page 26

●

MATERIALS REQUIRED:

Columbia Featherweight Knitting Worsted (2 ounce skein)

Size 36	Size 38	Size 40	Size 42
5 Skeins	6 Skeins	6 Skeins	6 Skeins

Knitting Needles: 1 Pair "Boye" Size 2—14 inch
1 Pair "Boye" Size 3—14 inch
1 "Boye" Double Point Needle Size 3—7 inch (for Cable)

Gauge: 7 Sts. to 1 inch (Stockinette St.—Size 3 Needles)

DIAGONAL CABLE PANEL:
Row 1—P.1, K.8, P.1.
Row 2—K.1, P.8, K.1.
Repeat Rows 1 and 2 five times more.
Row 13—P.1, slip next 4 Sts. on Double Point Needle place in front of work, K.4, K. the 4 Sts. from Double Point Needle, P.1.
Row 14—Same as Row 2.
Row 15—P.1, increase 1 St. in next St., K.5, K.2 together, P.1.
Row 16—Same as Row 2.
Repeat Rows 15 and 16 ten times more.
Row 37—Same as Row 13.
Row 38—Same as Row 2.
Repeat Rows 1 and 2 five times.
Repeat Pattern from Row 13.

(continued on page 44)

No. 1830 (continued from page 43)

SIZES:	36	38	40	42

BACK: With Size 2 Needles cast on
132 Sts. 140 Sts. 148 Sts. 152 Sts.

Work in Ribbing of K.2, P.2, for 4 inches, increasing
2 Sts. ——— ——— 2 Sts.

on last row, then change to Size 3 Needles and work in Pattern as follows:

Row 1—
K.14 K.15 K.17 K.18
*work Row 1 of Diagonal Cable Panel,
K.14 K.15 K.16 K.17
repeat from * across, ending Cable Panel,
K.14 K.15 K.17 K.18

Row 2—
P.14 P.15 P.17 P.18
*work Row 2 of Cable Panel,
P.14 P.15 P.16 P.17
repeat from * across, ending Cable Panel,
P.14 P.15 P.17 P.18

Row 3—Same as Row 1, working 3rd row of Cable Panel.

Row 4—Same as Row 2, working 4th row of Cable Panel.

Continue in this manner, repeating Cable Panel as indicated until work measures 14½ inches from start (or desired length) to underarm.

To Shape Armholes: Bind off
10 Sts. 11 Sts. 12 Sts. 12 Sts.

at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
11 times 11 times 12 times 13 times

Sts. on Needle:
92 Sts. 96 Sts. 100 Sts. 104 Sts.
(having 2 K. Sts. next to the P. St. each side).

When armhole measures
8½″ 8½″ 9″ 9″
(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off
7 Sts. 8 Sts. 8 Sts. 8 Sts.

at beginning of each of the next 8 rows. Change to Size 2 Needles and increase
——— 4 Sts. ——— ———

Sts. on Needle:
36 Sts. 36 Sts. 36 Sts. 40 Sts.

Work in Ribbing of K.2, P.2, for ¾ inch, bind off loosely in Ribbing.

FRONT: Work same as Back until work measures
16½″ 16½″ 17″ 17″
from start.

To Shape Neck: Divide Sts. in half and work each Shoulder separately as follows: Decrease 1 St. at neck edge, then every
4th row 4th row 4th row 3rd row
14 times 15 times 14 times 19 times

more, then every other row
3 times ——— 3 times ———

When armhole measures same as at Back,

To Shape Shoulder: Bind off
7 Sts. 8 Sts. 8 Sts. 8 Sts.

at armhole edge other row 4 times.

Neckband: With Size 2 Needles on right side of work, pick up and K. 136 Sts. around neck edge of Front. Work in Ribbing of K.2, P.2, mitering at center (see Page 49), for ¾ inch. Bind off loosely in Ribbing.

Sew shoulder seams.

Armhole Bands: With Size 2 Needles on right side of work, pick up and K.
184 Sts. 184 Sts. 192 Sts. 192 Sts.

around armhole edge. Work in Ribbing of K.2, P.2, for ¾ inch, bind off loosely in Ribbing.

Sew underarm seams.

WAISTCOAT

Number 1831

Sizes 38, 40, 42 and 44

Illustrated on page 26

●

MATERIALS REQUIRED:

Columbia Knitting Worsted (4 ounce skein)

Size 38	Size 40	Size 42	Size 44
3 Skeins	3 Skeins	4 Skeins	4 Skeins

Knitting Needles: 1 Pair "Boye" Size 4—14 inch

Gauge: 6 Sts. to 1 inch
8 rows to 1 inch

PATTERN STITCH: (Multiple of 6 Sts. plus 3)
Row 1—K.3, *P.3, K.3, repeat from * across row.
Row 2—P.3, *K.3, P.3, repeat from * across row.
Repeat Rows 1 and 2 two times more.
Row 7—K.
Row 8—P.
Repeat Rows 7 and 8 two times more.
Repeat the 12 rows for Pattern.

SIZES:	38	40	42	44

BACK: Cast on
99 Sts. 105 Sts. 111 Sts. 117 Sts.

Row 1—K.1, *P.1, K.1, repeat from * across.
Row 2—P.1, *K.1, P.1, repeat from * across.
Repeat Rows 1 and 2 two times more (6 rows of Ribbing), then work in Pattern St. and increase 1 St. each side every 12th row 7 times, working the added Sts. in Pattern St.
Sts. on Needle:
113 Sts. 119 Sts. 125 Sts. 131 Sts.

(continued on page 45)

No. 1831 (continued from page 44)

When work measures 12 inches from start (or desired length, allowing ¾ inch to underarm), work 13 Sts. each side in Ribbing for Armhole Border as follows:
Row 1—P.1, *K.1, P.1, repeat from * 5 times more, work Pattern St. across to last 13 Sts., P.1, then K.1, P.1, to end of row.
Row 2—K.1, *P.1, K.1, repeat from * 5 times more, work Pattern St. across to last 13 Sts., K.1, then P.1, K.1, to end of row.
Repeat Rows 1 and 2 two times more.

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease as follows: Work in Ribbing for 7 Sts., slip 1, K.1, pass slip St. over, work Pattern St. across to last 9 Sts., K.2 together, work Ribbing to end of row. Decrease 1 St. each side (inside of Borders) in this manner every other row 9 times more.
Sts. on Needle:

81 Sts.	87 Sts.	93 Sts.	99 Sts.

Work even until armhole measures

8¾"	8¾"	9"	9"

(measured straight from bound-off Sts. at underarm), then start Neck Border in Ribbing of K.1, P.1, as follows: Work across

17 Sts.	20 Sts.	23 Sts.	26 Sts.

*K.1, P.1, repeat from * 22 times more, K.1 (47 Sts. in Ribbing), work

17 Sts.	20 Sts.	23 Sts.	26 Sts.

to end of row. Work 5 rows more.

To Shape Shoulders: Bind off

8 Sts.	9 Sts.	10 Sts.	11 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. in Ribbing for back of neck.

RIGHT FRONT: Cast on

55 Sts.	58 Sts.	61 Sts.	64 Sts.

Row 1—*K.1, P.1, repeat from * across, ending

K.1	P.1	K.1	P.1

Row 2—	P.1	K.1, P.1	P.1	K.1, P.1

*K.1, P.1, repeat from * across row.

Repeat Rows 1 and 2 two times more.
Row 7—Continue 7 Sts. at front edge in Ribbing for Front Border (K.1, P.1, K.1, P.1, K.1, P.1, K.1), *P.3, K.3, repeat from * across, ending

K.3	P.3	K.3	P.3

Row 8—	P.3, K.3	K.3	P.3, K.3	K.3

*P.3, K.3, repeat from * across row to last 7 Sts., P.1, K.1, P.1, K.1, P.1, K.1, P.1.

Continue Front Border and Pattern St., increasing 1 St. at side edge every 12th row 7 times.
Work Armhole Border and shape armhole to correspond with Back.
Sts. on Needle:

46 Sts.	49 Sts.	52 Sts.	55 Sts.

Next row start decreases for neck as follows: Work Front Border, then slip 1, K.1, pass slip St. over, work to end of row. Decrease in this manner every 4th row 7 times more, then every other row 14 times (being careful to keep Pattern even between Armhole and Neck Borders).

When armhole measures same as at Back,
To Shape Shoulder: Bind off

8 Sts.	9 Sts.	10 Sts.	11 Sts.

every other row 3 times.

Place markers on Front Border for 6 Buttons, having the first on 7th row from lower edge and the sixth at the first neck decrease.

LEFT FRONT: Work to correspond with Right Front, working first Buttonhole on 7th row as follows: Work to Front Border, then K.1, bind off 3 Sts., K.1, P.1, K.1.
Next row cast on 3 Sts. over the bound-off Sts. Work 5 more Buttonholes to correspond with markers on Right Front.

Pockets: (Right Front)—On right side of work (19 Sts. from front edge) pick up 21 Sts. at top of Ribbing Border. Work in Pattern St. to correspond with Front for 3 inches, then work in Ribbing of K.1, P.1, for 5 rows. Bind off in Ribbing. Work Left Front Pocket to correspond.

Sew Pockets to Fronts at each side. Sew shoulder and underarm seams. Face front edges to last Buttonhole with grosgrain ribbon. Sew around Buttonholes.

FATHER AND SON SLIPOVERS

Number 1832

Father's Sizes: 38 and 40

Number 1832A

Son's Sizes: 10 and 12

Illustrated on page 27

●

MATERIALS REQUIRED:

Columbia Afghan Germantown (2 ounce skein)

Size 10	**Size 12**	**Size 38**	**Size 40**
6 Skeins	8 Skeins	10 Skeins	12 Skeins

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 4—14 inch

Gauge: 6½ Sts. to 1 inch (Pattern St.—Size 4 Needles)

PATTERN STITCH: (Multiple of 10 Sts.)

Row 1—K.2, *P.1, K.4, P.1, K.4, repeat from * across, ending P.1, K.4, P.1, K.2.

Row 2—K.3, *P.4, K.6, repeat from * across, ending P.4, K.3.
Repeat Rows 1 and 2.

Row 5—K.2, *P.1, skip 3 Sts., K.4th St. in front of work (leaving St. on needle), then K. the 3 skipped Sts., slip loop of 4th St. off (Cable), P.1, K.4, repeat from * across, ending P.1, Cable, P.1, K.2.

Row 6—Same as Row 2.
Repeat Rows 1 and 2 three times, then repeat Pattern from Row 5 (8 rows to 1 Pattern).

(continued on page 46)

Nos. 1832 and 1832A (continued from page 45)

SIZES:	10	12	38	40

BACK: With Size 3 Needles cast on
90 Sts. 100 Sts. 120 Sts. 130 Sts.

Work in Ribbing of K.1, P.1, for
2½″ 3″ 3″ 3½″

Change to Size 4 Needles and work in Pattern St. until work measures
12″ 13″ 14″ 15″

from start (or desired length to underarm).

To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 6 times.
Sts. on Needle:
68 Sts. 78 Sts. 98 Sts. 108 Sts.

Work even until armhole measures
6″ 7″ 8½″ 9″

(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off
8 Sts. 9 Sts. 11 Sts. 12 Sts.
at beginning of each of the next 6 rows.
Change to Size 3 Needles and work remaining Sts. in Ribbing of K.1, P.1, for
¾″ ¾″ 1″ 1″

for Neckband, bind off loosely in Ribbing.

FRONT: Work same as Back until armhole measures
4″ 5″ 6¼″ 6¾″

(measured straight).
To Shape Neck: Work across
40 Sts. 47 Sts. 57 Sts. 64 Sts.

slip these Sts. on St. Holder. On remaining
28 Sts. 31 Sts. 41 Sts. 44 Sts.

work Right Shoulder as follows:

Decrease 1 St. every other row		Bind off 2 Sts. every other row	
4 times	4 times	4 times	4 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off
8 Sts. 9 Sts. 11 Sts. 12 Sts.

at armhole edge every other row 3 times.

Leave
12 Sts. 16 Sts. 16 Sts. 20 Sts.

at center on St. Holder, then work Left Shoulder to correspond.

Neckband: On right side of work with Size 3 Needles, pick up and K.
56 Sts. 64 Sts. 68 Sts. 76 Sts.

around neck edge (including Sts. on St. Holder), then work same as Neckband at Back.

SLEEVES: With Size 3 Needles cast on
50 Sts. 60 Sts. 70 Sts. 80 Sts.

Work in Ribbing of K.1, P.1, for
2″ 3″ 3″ 3½″

Change to Size 4 Needles and work in Pattern St., increasing 1 St. each side every inch
10 times 10 times 16 times 16 times

working the added Sts. in Pattern St.

Sts. on Needle:
70 Sts. 80 Sts. 102 Sts. 112 Sts.

When Sleeve measures
13½″ 14½″ 21″ 21½″

from start (or desired length).
To Shape Cap of Sleeve: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
10 times 12 times 15 times 19 times

then every row
10 times 13 times 15 times 15 times

Bind off 2 Sts. at beginning of each row
——— ——— 6 times 6 times

Bind off remaining Sts.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams.

CLASSIC SLIPOVER

Number 1833

Sizes 36 to 48

Illustrated on page 27

●

MATERIALS REQUIRED:

Columbia Heather Sports Yarn (2 ounce ball)
—OR—
Columbia Sports Yarn (2 ounce ball)

SIZES:	36	38	40	42	44	46	48
No. of Balls:	5	5	6	6	7	7	8

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.—Size 3 Needles)

SIZES:	36	38	40	42	44	46	48
BACK: With Size 1 Needles cast on.....Sts.	144	152	160	168	176	184	192
Work in Ribbing of K.2, P.2, for 3 inches. Change to Size 3 Needles and work even in Stockinette St. until Back measures.....inches from start (or desired length to underarm).	15	15	15	15½	15½	16	16

(continued on page 47)

No. 1833 (continued from page 46)

To Shape Armholes: Bind off ....Sts.	8	8	8	8	8	10	10
at beginning of each of the next 2 rows, then decrease 1 St. each side every other row....times.	6	8	8	10	10	10	14
Sts. on Needle:.....	116	120	128	132	140	144	144
Work even until armhole measures.....inches (measured straight from bound-off Sts. at underarm).	8	8	8	8½	8½	9	9
To Shape Shoulders: Bind off .....Sts.	9	9	10	10	11	11	11
at beginning of each of the next 8 rows.							
Change to Size 1 Needles and work remaining.....Sts. in Ribbing of K.2, P.2, for ¾ inch for Neckband, bind off loosely in Ribbing.	44	48	48	52	52	56	56
FRONT: Work same as Back until armhole measures .....inches.	1½	1½	1½	2	2	2	2
Divide Sts. for V Neck, K. to center (slip remaining Sts. on St. Holder), work Left Shoulder. Decrease 1 St. at neck edge, then every other row.....	11	13	13	15	15	17	17
times more, then every 4th row 10 times.							
When armhole measures same as at Back, **To Shape Shoulder:** Bind off .....Sts.	9	9	10	10	11	11	11
at armhole edge every other row 4 times.							
Work Right Shoulder to correspond.							
Neckband: On right side of work with Size 1 Needles, pick up and K.....Sts.	140	140	144	144	148	152	152
at V Neck. Work in Ribbing of K.2, P.2, for ¾ inch, mitering at center (see Page 49). Bind off loosely in Ribbing.							
SLEEVES: With Size 1 Needles cast on.....Sts.	76	76	76	80	80	84	84
Work in Ribbing of K.2, P.2, for 3½ inches. Change to Size 3 Needles and work in Stockinette St. Increase 1 St. each side every ½ inch 17 times, then every inch 7 times.							
Sts. on Needle:.....	124	124	124	128	128	132	132
When Sleeve measures.....	20	20½	21	21½	22	22	22
inches from start (or desired length to underarm), **To Shape Cap of Sleeve:** Bind off.....Sts.	8	8	8	8	8	10	10
at beginning of each of the next 2 rows, then decrease 1 St. each side every row.....times.	30	30	30	32	32	34	34
Bind off remaining Sts. 48 sts.							

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams.

CLASSIC SLEEVELESS SLIPOVER

Number 1834

Sizes 36 to 48

Illustrated on page 28 and back cover

MATERIALS REQUIRED:

Columbia Heather Sports Yarn (2 ounce ball)
—OR—
Columbia Sports Yarn (2 ounce ball)

SIZES:	**36**	**38**	**40**	**42**	**44**	**46**	**48**
No. of Balls:	4	4	4	5	5	6	6

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.—Size 3 Needles)

SIZES:	**36**	**38**	**40**	**42**	**44**	**46**	**48**
BACK: Work same as Back of Long Sleeved Classic Slipover No. 1833 (see Page 46).							
FRONT: Work same as Back until armhole measures .....inches.	5½	5½	5½	6	5½	6	6
Sts. on Needle:.....	116	120	128	132	140	144	144
To Shape Neck: Work across .....Sts.,	46	48	52	53	57	58	58
slip remaining Sts. on St. Holder, then work Left Shoulder as follows: Decrease 1 St. at neck edge every other row....times.	10	12	12	13	13	14	14
When armhole measures same as at Back, **To Shape Shoulder:** Bind off .....Sts.	9	9	10	10	11	11	11
at armhole edge every other row 4 times.							
Leaving.....Sts.	24	24	24	26	26	28	28
at center on St. Holder, work Right Shoulder to correspond.							
Neckband: With Size 1 Needles, on right side of work, pick up and K.....Sts.	92	92	92	96	96	104	104
around neck edge of Front (including Sts. on St. Holder). Work in Ribbing of K.2, P.2, for ¾ inch, bind off loosely in Ribbing.							
Sew shoulder seams.							
Armhole Bands: With Size 1 Needles on right side of work, pick up and K..... Sts. around armhole. Work in Ribbing of K.2, P.2, for ¾ inch, bind off in Ribbing.	192	192	192	196	196	200	200
Sew underarm seams.							

CARDIGAN JACKET

Number 1835

Sizes 36 to 48

Illustrated on page 28

●

MATERIALS REQUIRED:

Columbia Heather Knitting Worsted (4 ounce skein)
—OR—
Columbia Knitting Worsted (4 ounce skein)

SIZES:	**36**	**38**	**40**	**42**	**44**	**46**	**48**
No. of Skeins:	5	5	6	6	7	7	8

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 6—14 inch

Gauge: 5 Sts. to 1 inch (Size 6 Needles)

SIZES:	**36**	**38**	**40**	**42**	**44**	**46**	**48**
BACK: With Size 3 Needles cast on.....Sts.	92	96	100	104	108	112	116
Work in Ribbing of K.1, P.1, for 1½ inches. Change to Size 6 Needles and work in Stockinette St. until work measures .....inches	17½	17½	18	18	18	18½	18½
from start (or desired length to underarm).							
To Shape Armholes: Bind off .....Sts.	7	8	8	8	8	9	9
at beginning of each of the next 2 rows, then decrease 1 St. each side every other row....times.	5	6	6	4	4	5	6
Sts. on Needle:.....	68	68	72	80	84	84	86
Work even until armhole measures.....inches	8	8	8	8½	8½	9	9
(measured straight from bound-off Sts. at underarm).							
To Shape Shoulders: Bind off .....Sts.	6	6	6	7	7	7	7
at beginning of each of the next 8 rows, bind off remaining Sts. for back of neck.							

Pocket Facing: With Size 6 Needles cast on 24 Sts. Work in Stockinette St. for 5 inches. Slip Sts. on St. Holder.

RIGHT FRONT: With Size 3 Needles cast on.....Sts.	55	58	61	64	67	70	73
Work first 14 Sts. in Stockinette St. for Double Front Border and work remaining Sts. in Ribbing of P.1, K.1, for 1½ inches. Change to Size 6 Needles and work in Stockinette St. (continuing to P. the 15th St. from front edge on right side and K. the same St. on wrong side to form P. ridge next to the Border).							
When work measures 6½ inches from start, work Pocket as follows: (Right side of work) K.14, P.1, K.....Sts.,	11	13	15	17	19	21	23
slip next 24 Sts. on St. Holder, K. across the 24 Sts. of pocket facing, K. to end of row. Work even until Front measures same as Back to underarm.							
To Shape Armhole and Neck Edge: Bind off.....Sts.	5	5	5	5	6	7	8
at side edge. On next row decrease 1 St. at inside of Front Border (by K. the 16th and 17th Sts. together). Decrease 1 St. at armhole edge every other row .....times	3	4	4	4	5	6	6
and decrease 1 St. at inside of Front Border every.....	6th	4th	4th	4th	4th	4th	3rd
row.....times	7	9	12	11	12	13	15
more.							
When armhole measures same as at Back, **To Shape Shoulder:** Bind off .....Sts.	6	6	6	7	7	7	7
at armhole edge every other row 4 times. On remaining 15 Border Sts. continue to work....inches	4	4	5	5	5½	5½	6
(to fit across back of neck), slip these Sts. on St. Holder.							

Place markers on Front Border for 7 Buttons, having the first 1½ inches from lower edge and the 7th on same row as first decrease at neck.

LEFT FRONT: Work to correspond with Right Front, having decreases at opposite sides and working First Double Buttonhole 1½ inches from start as follows: Work across to last 15 Sts., P.1, K.2, bind off 3 Sts., K.4, bind off 3 Sts., K.2. On next row cast on 3 Sts. over the bound-off Sts. Work 6 more Double Buttonholes to correspond with markers on Right Front. After binding off for Shoulder, slip Sts. of Border on St. Holder.

SLEEVES: With Size 3 Needles cast on.....Sts.	50	50	52	52	54	54	56
Work in Ribbing of K.1, P.1, for 3 inches, increasing.....	6	6	7	7	7	7	8
Sts. across last row. Change to Size 6 Needles and work in Stockinette St., increasing 1 St. each side every inch 9 times.							
Sts. on Needle:.....	74	74	77	77	79	79	82
When Sleeve measures.....	20	20½	21	21½	22	22	22
inches from start (or desired length to underarm), **To Shape Cap of Sleeve:** Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row .....times,	13	13	14	15	15	16	16
then decrease 1 St. each side every row.....times,	7	7	7	6	6	6	7
bind off remaining Sts.							

Pocket Border: With Size 3 Needles work across 24 Sts. on St. Holder in Ribbing of K.1, P.1, for 1½ inches, bind off. Sew Borders at each side. Sew pocket facings in place.

Sew shoulder seams, sew Border across back of neck and weave (see Page 49) or sew to Border of Left Front. Sew Sleeves in place, sew underarm and sleeve seams. Turn 7 Sts. of Front Border under and sew in place. Sew around Buttonholes.

Another Famous Product — Lees Carpets

GENERAL INSTRUCTIONS

ABBREVIATIONS USED IN KNITTING AND CROCHETING INSTRUCTIONS

K.—Knit
P.—Purl
Ch.—Chain
S. C.—Single Crochet
P. S. S. O.—Pass Slip St. Over K. St.
St.—Stitch
Y. O.—Yarn Over
Slip St.—Slip Stitch

ASTERISKS (*-**): Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times, it is understood that this is in addition to the original. Thus, repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K. 1 row, P. 1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K. 1 St., P. 1 St., on uneven number of Sts. On even number of Sts., K. 1 St., P. 1 St., across row; next row, P. 1 St., K. 1 St., across row.

TO INCREASE: K. 2 Sts. in 1 Stitch (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K. 2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

TO MITER NECKBAND FOR V-NECK: On right side—Work to 4 center Sts., K. 2 together through back of Sts., K. 2 together through front of Sts., work to end of row.

On wrong side—Work to 4 center Sts., P. 2 together through front of Sts., P. 2 together through back of Sts., work to end of row. Repeat these 2 rows.

WEAVING STOCKINETTE STITCH: Thread a darning needle and bring pieces to be joined close together. Draw up yarn in first stitch on upper piece, inserting needle from wrong side; insert needle from right side in first stitch on lower piece and bring up through next stitch on lower piece from wrong side—draw up yarn; * insert needle from right side in same stitch as before on upper piece and bring up through next stitch on upper piece from wrong side—draw up yarn; insert needle from right side in same stitch as before on lower piece and bring up through next stitch on lower piece—draw up yarn; repeat from * until all stitches are joined. Fasten yarn well before breaking off.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron or a dry cloth and steam iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

WASHING: Make suds in lukewarm water using any mild alkali free soap flakes. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

THIS IS IMPORTANT

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Columbia Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book we recommend Columbia Yarns in the types specified. Also be sure to follow detailed instructions for size of needles and gauge.

If you are unable to obtain Columbia Yarns in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pennsylvania and we will send you the name of the Columbia Dealer nearest you.

STANDARD BODY MEASUREMENTS FOR MEN

Sizes	—36	—38	—40	—42	—44	—46	—48
Chest	—36″	—38″	—40″	—42″	—44″	—46″	—48″
Waist	—32″	—34″	—36″	—38″	—40″	—42″	—44″

JAMES LEES AND SONS COMPANY

Bridgeport, Pa.

hooked rugs by columbia

ANOTHER FAMOUS PRODUCT • • • LEES CARPETS